ABBOCIATION CONNECTING ALLCTRONICS INDUSTRIES International and F	position De IPC, Bannockt an-American co	claration ourn, Illinois. A opyright conve	All rights reserved u ntions.	under both	This docume level parts, th	ent is a declaration he declaration er	on of the substance accompasses all lo	es within the man wer level materia	nufacturer liste ls for which th	ed item. Note: i le manufacture	f the item is an as r has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				 Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi 				Materials and	als and Mfg Information			
upplier Information													
Company name*			Company unique ID			Unique ID Authority				Response Date*			
onsemi										2024-05-12			
Contact Name Title - Contact			ct	Ph		Phone - Contact*			Ema	Email - Contact*			
Product-Env-Stewards Pro			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Repres			esentative 1			Phone - Representative*			Ema	Email - Representative*			
Product-Env-Stewards P.			Product Enviro Compliance			NA			Proc	Product-Env-Stewards@onsemi.com			
Requester Item Number			ber Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	1N4728/	1N4728A-T50A 3.3V 5% 1 W 2		Zener		2024-05-12 CN2		CN2		324.186	mg	Each	
Ianufacturing Proccess Inform	ation												
Terminal Plating / Grid Array	Terminal Plating / Grid Array Material Terminal Base		Alloy J	J-STD-020 MSL Rating		Peak Process Body Temperature Max T		ture Max Time	at Peak Tempo	erature Numb	per of Reflow Cy	cles	
Matte Tin (Sn) - annealed		CU Alloy NA			0 C		30	se	conds 3				
omments													
or more information regarding materi	al composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chro	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexcess encompass all such components.Supplier cert as of the date that Supplier completes this for Company acknowledges that Supplier may ha independently verified information provided certification in this paragraph.If the Company	ted biphenyls and/or polybrominated dip of an applicable quantity limit, please in ifies that it gathered the information it pr m.Supplier acknowledges that Company ve relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr source of the Supplier's liability and the	henyl ethers (each a "RoHS restricted subs ndicate below which, if any, RoHS exempt ovides in this form using appropriate meth will rely on this certification in determinin ers in completing this form, and that Suppl num, itssuppliers have provided certificatio eement with respect to the identified part,t Company's remedies for issues that arise r	stance") in exce ion you believe ods to ensure i g the compliar ier may not ha ons regarding t he terms and co	ropean Union member states) of the part identifiess of the applicable quantity limit identified able may apply. If the part is an assembly with low is accuracy and that such information is true and ce of its products with European Union member independently verified such information. How heir contributions to the part, and those certifica onditions of that agreement, including any warra nation the Supplier provides in this form. In the	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the inty rights and/or remedies provided as part of						
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for se	elected exempt	ions Supplier Acceptance	* Accepted						
Exemption: 7c-I Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required Requester) and click on Submit Form to ha			ice drop-dowi	n. This will display the signature area. Digital	ly sign the declaration (if required by the						
Supplier Digital Signature R	astislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
CSS Wire	202.316	mg	Supplier	Sulfur (S)	7704-34-9		0.1012	mg
		C C	Supplier	Carbon (C)	7440-44-0		1.0116	mg
			Supplier	Manganese (Mn)	7439-96-5		0.4046	mg
			Supplier	Iron (Fe)	7439-89-6		129.988	mg
			Supplier	Copper (Cu)	7440-50-8		70.7094	mg
			Supplier	Phosphorus (P)	7723-14-0		0.1012	mg
Die	0.093	mg	Supplier	Silicon (Si)	7440-21-3		0.093	mg
Dumet Wire	57.927	mg	Supplier	Manganese (Mn)	7439-96-5		0.5213	mg
			Supplier	Silicon (Si)	7440-21-3		0.2317	mg
			В	Nickel (Ni)	7440-02-0		18.3339	mg
			Supplier	Iron (Fe)	7439-89-6		25.2851	mg
			Supplier	Copper (Cu)	7440-50-8		13.5549	mg
Glass Encapsulation	60.33	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		1.8099	mg
			А	Lead Oxide (PbO)	1317-36-8	7c	36.922	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.0302	mg
			Supplier	Potassium Monoxide (K2O)	12136-45-7		2.2624	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		19.3056	mg
Plating	3.52	mg	Supplier	Tin (Sn)	7440-31-5		3.52	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).