ASSOCIATION CONNECT	CONNECTING COpyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				nder both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lowe level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information					
upplier Infor	mation				-		·								
ompany name*		Company unique ID			Unique ID Authority					Response Date*					
nsemi												2024-05-11			
ontact Name		Title - Contact				Phone - Contact*				Email - Contact*					
Product-Env-Stev	wards		Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com			
uthorized Repre	esentative*		Title - Representative				Phone - Representative*				Email - Representative*				
roduct-Env-Stev	wards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Reque	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Date	e Versi	ion Manufacturing Site		1	Weight*	UOM	Unit Type	
	1N4740A 10V 1W		10V 1W 5% ZEN	OV 1W 5% ZENER DO41		2024-05-11			CN2		3	324.186	mg	Each	
Ianufacturin	g Proccess Information	1		-			-								
Termin	Terminal Plating / Grid Array Material		Cerminal Base Alloy J-STD-020 MS		L Rating	Peak Process Body Temperatu		ure Max Time at Peak Temp		Temperat	ure Numb	per of Reflow Cyc	les		
Matte Tin (Sn) - annealed		U Alloy	Alloy NA			0 C		<b>30</b> s		secon	ds 3				
omments															
or more informa	ation regarding material com	position <b>p</b>	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexcess encompass all such components.Supplier cert as of the date that Supplier completes this for Company acknowledges that Supplier may ha independently verified information provided certification in this paragraph.If the Company	ted biphenyls and/or polybrominated dip of an applicable quantity limit, please in ifies that it gathered the information it pr m.Supplier acknowledges that Company ve relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr source of the Supplier's liability and the	henyl ethers (each a "RoHS restricted subs ndicate below which, if any, RoHS exempt ovides in this form using appropriate meth will rely on this certification in determinin ers in completing this form, and that Suppl num, itssuppliers have provided certificatio eement with respect to the identified part,t Company's remedies for issues that arise r	stance") in exce ion you believe ods to ensure i g the compliar ier may not ha ons regarding t he terms and co	ropean Union member states) of the part identifiess of the applicable quantity limit identified able may apply. If the part is an assembly with low is accuracy and that such information is true and ce of its products with European Union member independently verified such information. How heir contributions to the part, and those certifica onditions of that agreement, including any warra nation the Supplier provides in this form. In the	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the inty rights and/or remedies provided as part of						
<b>RoHS Declaration *</b> 4 - Item(s	) does not contain RoHS restricted subst	ances per the definition above except for se	elected exempt	ions Supplier Acceptance	* Accepted						
Exemption: 7c-I Electrical and electronic c	omponents containing lead in a glass o	r ceramic other than dielectric ceramic	in capacitors,	e.g. piezoelectronic devices, or in a glass or c	eramic matrix compound.						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required Requester) and click on Submit Form to ha			ice drop-dowi	a. This will display the signature area. Digital	ly sign the declaration (if required by the						
Supplier Digital Signature R	astislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
CSS Wire	202.316	mg	Supplier	Sulfur (S)	7704-34-9		0.1012	mg
		C C	Supplier	Carbon (C)	7440-44-0		1.0116	mg
			Supplier	Manganese (Mn)	7439-96-5		0.4046	mg
			Supplier	Iron (Fe)	7439-89-6		129.988	mg
			Supplier	Copper (Cu)	7440-50-8		70.7094	mg
			Supplier	Phosphorus (P)	7723-14-0		0.1012	mg
Die	0.093	mg	Supplier	Silicon (Si)	7440-21-3		0.093	mg
Dumet Wire	57.927	mg	Supplier	Manganese (Mn)	7439-96-5		0.5213	mg
			Supplier	Silicon (Si)	7440-21-3		0.2317	mg
			В	Nickel (Ni)	7440-02-0		18.3339	mg
			Supplier	Iron (Fe)	7439-89-6		25.2851	mg
			Supplier	Copper (Cu)	7440-50-8		13.5549	mg
Glass Encapsulation	60.33	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		1.8099	mg
			А	Lead Oxide (PbO)	1317-36-8	7c	36.922	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.0302	mg
			Supplier	Potassium Monoxide (K2O)	12136-45-7		2.2624	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		19.3056	mg
Plating	3.52	mg	Supplier	Tin (Sn)	7440-31-5		3.52	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).