IPC ASSOCIATION ELECTRONIC	© Copyright 2005.	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			nder both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Typhttp://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater				aterials and	rials and Mfg Information				
uppliei	r Information														
Company name*			Company un	Company unique ID			Unique ID Authority				Respo	Response Date*			
nsemi										2024-	2024-05-21				
ontact N	ame	Title - Contact			P	Phone - Contact*				Emai	Email - Contact*				
roduct-I	Env-Stewards	Product Enviro Compliance			1	NA				Prod	Product-Env-Stewards@onsemi.com				
uthorize	d Representative*	Title - Representative			P	Phone - Representative*				Emai	Email - Representative*				
roduct-I	Env-Stewards	Product Enviro Compliance			I	NA				Prod	Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Iter		n Number Mfr Item Name				Effective Date	Version	N	Manufacturing Site		Weight*	UOM	Unit Type	
		1N4749ATR 24V 1W 5% ZENER		ER DO41		2024-05-21		C	CN2		324.186	mg	Each		
(anufa	cturing Process Inform		Terminal Base	Alloy	-STD-020 MSI	Pating	Dank Proce	ace Rody T	Camparatur	Max Time at F	Paak Tampa	vratura Numb	er of Reflow Cy	clas	
	3 · · · · · · · · · · · · · · · · · · ·		CU Allov NA			_ Kating	0	ess Body 1	C	30	1.	conds 3	ei oi Keilow Cy	cies	
omments	. ,	- 18	Alloy		1/1		U		10	150	Isec	onds   5			
Omments	1														
r more	information regarding materi	al composition	nlesse refer to	n nage 3											

RoHS Material Composition Declaration			Declaration 7	Гуре *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU  RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Itability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's St										
RoHS Declaration * 4 - Item(s	does not contain RoHS restricted substances	per the definition above except for sele	ted exemptions	Supplier Acceptance	* Accepted					
Exemption: 7c-I Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.										
Supplier Digital Signature Ra	astislav Drska	E								

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
CSS Wire	202.316	mg	Supplier	Sulfur (S)	7704-34-9		0.1012	mg
			Supplier	Carbon (C)	7440-44-0		1.0116	mg
			Supplier	Manganese (Mn)	7439-96-5		0.4046	mg
			Supplier	Iron (Fe)	7439-89-6		129.988	mg
			Supplier	Copper (Cu)	7440-50-8		70.7094	mg
			Supplier	Phosphorus (P)	7723-14-0		0.1012	mg
Die	0.093	mg	Supplier	Silicon (Si)	7440-21-3		0.093	mg
Dumet Wire	57.927	mg	Supplier	Manganese (Mn)	7439-96-5		0.5213	mg
			Supplier	Silicon (Si)	7440-21-3		0.2317	mg
			В	Nickel (Ni)	7440-02-0		18.3339	mg
			Supplier	Iron (Fe)	7439-89-6		25.2851	mg
			Supplier	Copper (Cu)	7440-50-8		13.5549	mg
Glass Encapsulation	60.33	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		1.8099	mg
			A	Lead Oxide (PbO)	1317-36-8	7c	36.922	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.0302	mg
			Supplier	Potassium Monoxide (K2O)	12136-45-7		2.2624	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		19.3056	mg
Plating	3.52	mg	Supplier	Tin (Sn)	7440-31-5		3.52	mg