BC Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
	IPC Web Site for Information on IPC-1752 Standard Form			Form Type Distribute					us Materials a	ials and Mfg Information			
upplier Information													
ompany name*	Company uni	Company unique ID			Unique ID Authority				Response Date*				
nsemi									2024-05-17				
ontact Name	Title - Contac	Title - Contact			Phone - Contact*				Email - Contact*				
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
uthorized Representative*	Title - Repres	Title - Representative			Phone - Representative*			Er	Email - Representative*				
roduct-Env-Stewards	Product Enviro Compliance				NA			P	Product-Env-Stewards@onsemi.com				
Requester Item Numbe	Requester Item Number Mfr Iter		n Number Mfr Item Name			Effective Date	te Version Manufacturing Site		ig Site	Weight*	UOM	Unit Type	
		AR1335CSSC11SMK 13MP 1/3 CIS A0-CP1		50		2024-05-17 TWU		TWU		49.1919	mg	Each	
Ianufacturing Proccess In	nformation												
Terminal Plating / Grid Array Material T		Ferminal Base Alloy J-STD-020 M		J-STD-020 MSL	Rating	Peak Process Body Temperatu		ture Max Tim	e at Peak Ter	mperature Nu	umber of Reflow Cy	cles	
SnAgCu		CU Alloy 4		4		245 C		30		seconds 3			
omments													
or more information regarding	material composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted					
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	8.34	mg	Supplier	Silicon (Si)	7440-21-3		8.34	mg
Glass Attach Epoxy	9.0E-4	mg	Supplier	Imidazole	288-32-4		0.0002	mg
			Supplier	Epoxy Phenol Novolak Resin	28064-14-4		0.0007	mg
Glass Lid /Cap	34.79	mg	Supplier	Glass	65977-17-3		34.79	mg
Insulating Layer	3.53	mg	Supplier	9-Phenylacridine	602-56-2		0.1765	mg
			Supplier	2-Propenoic acid	1245638-61-2		1.059	mg
			Supplier	Other Additive Agents	Proprietary Data		2.118	mg
			Supplier	Butylglycol Acetate	112-07-2		0.1765	mg
Passivation	0.78	mg		Epoxy resin	proprietary data		0.0117	mg
			Supplier	Coupling Agent	Proprietary Data		0.0156	mg
			Supplier	Modified SBR Rubber	Proprietary Data		0.0039	mg
			Supplier	Melamine Compound	Proprietary Data		0.0234	mg
			Supplier	Trispenol Compound	Proprietary Data		0.0234	mg
			Supplier	Photosensitizer	Proprietary Data		0.0624	mg
			Supplier	Hydroxystyrene Resin	Proprietary Data		0.1716	mg
			Supplier	Ethyl Lactate	97-64-3		0.468	mg
RDL	0.54	mg	В	Nickel (Ni)	7440-02-0		0.324	mg
			Supplier	Gold (Au)	7440-57-5		0.0054	mg
			Supplier	Copper (Cu)	7440-50-8		0.2106	mg
Solder Ball	1.211	mg	Supplier	Silver (Ag)	7440-22-4		0.0804	mg
			Supplier	Tin (Sn)	7440-31-5		1.0768	mg
			Supplier	Copper (Cu)	7440-50-8		0.0538	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).