© Copyright 2005. II	Convright 2005 IPC Bannockburn Illinois All rights reserved under both				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.								
	21.1 IPC Web Site for Information on IPC-1752 Standard Form 7 http://www.ipc.org/IPC-175x Distrib				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials ar				als and M	and Mfg Information			
Supplier Information													
Company name* Con			Company unique ID			Unique ID Authority				Response Date*			
onsemi										2024-05-12			
Contact Name Title - Contact				Phone - Contact*				Email - Contact*					
Product-Env-Stewards Product Envir			nviro Compliance		NA			Product-Env-Stewards@onsemi.com					
Authorized Representative* Title - Representative			epresentative		Phone - Representative*			Email - Representative*					
Product-Env-Stewards Prod			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
Requester Item Number	Requester Item Number Mfr Item Nu		Number Mfr Item Name			Effective Date	Version	N	Manufacturing Site		Weight*	UOM	Unit Type
	BC847B	BC847BPDW1T2G SS SC88 GP 2		STR DUAL 45V		2024-05-12		С	CN1		5.2	mg	Each
Manufacturing Proccess Informat	tion												
Terminal Plating / Grid Array Ma	Terminal Plating / Grid Array Material Terminal Base Allo		Alloy	J-STD-020 MSL	Rating	Peak Proc	ess Body Te	mperatur	e Max Time at Peak	Temperat	ure Numl	ber of Reflow Cyc	eles
Matte Tin (Sn) - annealed CU Alloy			1		260		С	30	secon	ds 3			
Comments													
evel 1 - maximum time at peak temperatu	re during so	ldering is 10-3	0 seconds										
or more information regarding material	composition	please refer to	o page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
omogeneous Material Weight Unit of Measure		Level Substance		CAS	Exempt	Weight	Unit of Measure		
Die	0.19	mg	Supplier	Silicon (Si)	7440-21-3		0.19	mg	
Lead Frame	2.04	mg	В	Nickel (Ni)	7440-02-0		0.7813	mg	
			Supplier	Iron (Fe)	7439-89-6		1.0792	mg	
			Supplier	Copper (Cu)	7440-50-8		0.1795	mg	
Mold Compound-Black	3.9	mg	Supplier	Boron zinc hydroxide oxide	138265-88-0		0.117	mg	
			Supplier	Zinc Monoxide (ZnO)	1314-13-2		0.0195	mg	
			Supplier	2,4,6-triamino-s-triazincompd.withs- triazine-triol	37640-57-6		0.117	mg	
			Supplier	Silica Amorphous (SiO2)	7631-86-9		3.12	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.039	mg	
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.312	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.1755	mg	
Plating	0.05	mg	Supplier	Tin (Sn)	7440-31-5		0.05	mg	
Wire Bond	0.02	mg	Supplier	Palladium (Pd)	7440-05-3		0.0002	mg	
			Supplier	Copper (Cu)	7440-50-8		0.0198	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).