ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® International and Pa	IPC. Bannockl	ourn. Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a declarat he declaration e	on of the suncompasse	ubstances s all lowe	within the m level mater	nanufacture ials for whi	r listed item ich the man	. Note: if ifacturer	the item is an as has engineering	sembly with low responsibility.
	.1 IPC Web Site for Information on IPC-1752 Standard Form Distri				*	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information			
Supplier Information														
Company name* Co			Company unique ID			Unique ID Authority					Response Date*			
nsemi											2024-05-14			
Contact Name Title - Contact			act			Phone - Contact*					Email - Contact*			
Product-Env-Stewards Product			roduct Enviro Compliance			NA					Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - H			le - Representative			Phone - Representative*				Email - Representative*				
Product-Env-Stewards Product			oduct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Number		mber Mfr Item Name			Effective Date	Version	I	Manufacturing Site		We	ght*	UOM	Unit Type
	FAN486	FAN48615UC11X 3MHZ I		/HZ DC/DC Boost 1.0A		2024-05-14		r.	TW6		1.83	4591	mg	Each
Ianufacturing Proccess Informa	ation													
Terminal Plating / Grid Array M	Ferminal Plating / Grid Array Material Terminal Base A		Alloy	J-STD-020 MSL Rating		Peak Process Body Temperature		re Max Time at Peak Tempera		Temperature	Numbe	er of Reflow Cyc	eles	
SnAgCu CU Alloy			1		260		С	30		seconds	3			
omments														
vel 1 - maximum time at peak temperat	ure during so	ldering is 10-3	0 seconds											
or more information regarding materia	l composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material Weight Unit of		Unit of Measure	Level Substance		CAS	Exempt	Weight	Unit of Measure
Backside Protection Film	0.055211	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.0116	mg
			Supplier	Carbon Black (C)	1333-86-4		0.001	mg
			Supplier	Silica (SiO2)	14464-46-1		0.0311	mg
			Supplier	2,4,6-Tris[Bis(Methoxymethyl)Amino]- 1,3,5-Triazine	3089-11-0		0.0116	mg
Die	1.23125	mg	Supplier	Silicon (Si)	7440-21-3		1.2245	mg
			Supplier	Aluminum (Al)	7429-90-5		0.0067	mg
Solder Ball	0.547544	mg	Supplier	Silver (Ag)	7440-22-4		0.0309	mg
			Supplier	Tin (Sn)	7440-31-5		0.5133	mg
			Supplier	Copper (Cu)	7440-50-8		0.0033	mg
Under Bump Metal	5.86E-4	mg	Supplier	Titanium (Ti)	7440-32-6		0.0001	mg
			Supplier	Copper (Cu)	7440-50-8		0.0004	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).