ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES INCOMPACTING	IPC. Bannockl	ourn. Illinois. A	Ill rights reserved untions.	under both	This docume level parts, t	ent is a declarat he declaration of	ion of the su	ubstances s all lowe	within the ma r level materia	anufacturer als for whic	listed item. N h the manufa	ote: if th cturer ha	e item is an as s engineering	sembly with lower responsibility.	
	-21.1 IPC Web Site for Information on IPC-1752 Standard Form Distribution Distribut				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					s Materials	als and Mfg Information				
Supplier Information															
Company name*	Company un	Company unique ID			Unique ID Authority					Response Date*					
onsemi												2024-05-15			
Contact Name Title - Con			Contact			Phone - Contact*				E	Email - Contact*				
Product-Env-Stewards Pr			Product Enviro Compliance			NA				I	Product-Env-Stewards@onsemi.com				
Authorized Representative* Ti			Title - Representative			Phone - Representative*				E	Email - Representative*				
Product-Env-Stewards	Product Enviro Compliance				NA				I	Product-Env-Stewards@onsemi.com					
Requester Item Number	Mfr Item Number		ber Mfr Item Name			Effective Date	Version	N	Manufacturing Site		Weigh	t*	UOM	Unit Type	
	FAN624	N6240M6X Direct Sense SR co		control_r		2024-05-15		1	TAD		17.874		mg	Each	
Manufacturing Proccess Informa	ntion												·		
Terminal Plating / Grid Array M	ninal Plating / Grid Array Material Terminal Base Alloy		Alloy	J-STD-020 MSL Rating		Peak Process Body Temperature Max Time		e at Peak Te	eak Temperature Number of Reflow		of Reflow Cyc	les			
Matte Tin (Sn) - annealed CU Alloy			1		260		С	30		seconds	3				
Comments															
evel 1 - maximum time at peak temperat	ure during so	ldering is 10-3	0 seconds												
or more information regarding materia	l composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	0.779	mg	Supplier	Silicon (Si)	7440-21-3		0.779	mg		
Die Attach	0.099	mg		Epoxy resin	proprietary data		0.0099	mg		
			Supplier	Silver (Ag)	7440-22-4		0.0792	mg		
			Supplier	Formaldehyde Polymer	9003-36-5		0.0099	mg		
Lead Frame	8.252	mg	Supplier	Silver (Ag)	7440-22-4		0.022	mg		
			Supplier	Zinc (Zn)	7440-66-6		0.01	mg		
			Supplier	Iron (Fe)	7439-89-6		0.198	mg		
			Supplier	Copper (Cu)	7440-50-8		8.0201	mg		
			Supplier	Phosphorus (P)	7723-14-0		0.002	mg		
Mold Compound-Black	7.588	mg		Epoxy resin	proprietary data		0.5312	mg		
			Supplier	Phenolic Resin	Proprietary Data		0.1897	mg		
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.5691	mg		
			Supplier	Carbon Black (C)	1333-86-4		0.0379	mg		
			Supplier	Fused Silica (SiO2)	60676-86-0		6.0704	mg		
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.1897	mg		
Plating	1.13	mg	Supplier	Tin (Sn)	7440-31-5		1.13	mg		
Wire Bond - Au	0.026	mg	Supplier	Gold (Au)	7440-57-5		0.026	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).