Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.					This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Material					als and Mi	lls and Mfg Information				
Supplier	· Information														
Company	name*	Company unique ID				Unique ID Authority					Response Date*				
onsemi												2024-05-20			
Contact Na	ame	Title - Contact				Phone - Contact*					Email - Contact*				
Product-E	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Authorized	d Representative*	Title - Representative				Phone - Representative*				Email - Representative*					
Product-E	Product-Env-Stewards			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Date Version Manufacturing Site		uring Site	V	Weight*	UOM	Unit Type		
	FDMF5075		75 SPS3 20A				2024-05-20		:	РВВ			8.373	mg	Each
Manufac	cturing Proccess Informat	ion					,	,						·	
	Terminal Plating / Grid Array Material		Terminal Base Alloy J-STD		J-STD-020 MSL	_ Rating	Peak Process Body Tempe		dy Temperatu	ture Max Time at Peak Te		Temperati	ure Num	ber of Reflow Cyc	les
	Matte Tin (Sn) - annealed		CU Alloy 1		1		260 C		30 seco		secono	ds 3			
Comments															
level 1 - ma	aximum time at peak temperatu	re during sol	dering is 10-3	30 seconds											
For more i	nformation regarding material o	composition	please refer to	page 3											

RoHS Material Composition Declaration			Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledges and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its paragraph. If the Company and the Supplier supplier have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Standard Terms and Conditions of Sale applicable to suc											
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted substance	es per the definition above except for selected exemp	otions Supplier Acceptance	* Accepted							
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.											
Supplier Digital Signature Ra	astislav Drska	-6_									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Clip	1.899	mg	Supplier	Zinc (Zn)	7440-66-6		0.0023	mg
			Supplier	Iron (Fe)	7439-89-6		0.0456	mg
			Supplier	Copper (Cu)	7440-50-8		1.8496	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0015	mg
Die	1.093	mg	Supplier	Silicon (Si)	7440-21-3		1.093	mg
Die Attach Solder	2.402	mg	Supplier	Silver (Ag)	7440-22-4		0.06	mg
			A	Lead (Pb)	7439-92-1	7a	2.2218	mg
			Supplier	Tin (Sn)	7440-31-5		0.1201	mg
Lead Frame	21.247	mg	Supplier	Silver (Ag)	7440-22-4		1.0624	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0255	mg
			Supplier	Iron (Fe)	7439-89-6		0.5099	mg
			Supplier	Copper (Cu)	7440-50-8		19.6322	mg
			Supplier	Phosphorus (P)	7723-14-0		0.017	mg
Mold Compound-Black	30.0	mg		Proprietary	proprietary data		2.4	mg
			Supplier	Carbon Black (C)	1333-86-4		0.15	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		27.45	mg
Plating	1.589	mg	Supplier	Tin (Sn)	7440-31-5		1.589	mg
Wire Bond - Cu	0.143	mg	Supplier	Palladium (Pd)	7440-05-3		0.0026	mg
			Supplier	Gold (Au)	7440-57-5		0.0001	mg
			Supplier	Copper (Cu)	7440-50-8		0.1403	mg