IPC ASSOCIATION ELECTRONIC	© Copyright 2005.	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			nder both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				e *	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					s and Mfg Informat	ion		
upplier	r Information														
Company name*			Company unique ID			Į	Unique ID Authority				F	Response Date*			
nsemi											2	2024-05-21			
ontact N	ame	Title - Contact			I	Phone - Contact*				F	Email - Contact*				
Product-H	Env-Stewards	Product Enviro Compliance]	NA]	Product-Env-Stewards@onsemi.com				
uthorize	d Representative*	Title - Representative			I	Phone - Representative*				E	Email - Representative*				
roduct-I	Env-Stewards	Product Enviro Compliance			1	NA				1	Product-Env-Stewards@onsemi.com				
	Requester Item Number	Mfr Iten	n Number	Mfr Item Name			Effective Date	Versio	n	Manufacturing Site		Weight*	UOM	Unit Type	
	FPAB30BH60B SPM3V CON		SPM3V CON 600	600V 30A SB		2024-05-21 CPA			15060.687	mg	Each				
lanufa	cturing Process Inform		Terminal Base	Alloy	-STD-020 MS	I Pating	Dank Proc	ass Rody	Tamparatu	re Max Time	at Daak Te	amperatura Numb	per of Reflow Cy	volas	
	3 · · · · · · · · · · · · · · · · · · ·		CU Allov NA			L Kanng	0	ess body	C	30	at I cak I c	seconds 3	er or Kerlow Cy	cies	
omments	·		Alloy		113				10	130		isconds 3			
omments	1														
or more i	information regarding materia	al composition	nlease refer to	n nage 3											

RoHS Material Composition Declaration			Declaration Type *	Detail	led						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier have provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such											
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substa	ances per the definition above	Supplier Ac	ceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructional Complete all of the required	fields on all neggs of this form. Calcut th		a duan dawn. This will display the signature on	a Digitally sign	the declaration (if recurined by the						
Instructions: Complete all of the required Requester) and click on Submit Form to			e drop-down. This will display the signature ar	ea. Digitally sign	the declaration (if required by the						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
DBC	2416.55	mg	Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		966.6201	mg
			В	Nickel (Ni)	7440-02-0		24.1655	mg
			Supplier	Copper (Cu)	7440-50-8		1425.7645	mg
Die	45.2664	mg	Supplier	Silicon (Si)	7440-21-3		45.2664	mg
Die Attach	34.639	mg	Supplier	Silver (Ag)	7440-22-4		2.0783	mg
			Supplier	Tin (Sn)	7440-31-5		31.8679	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.6928	mg
Die Attach Epoxy	1.0764	mg	Supplier	Poly(oxypropylene)diamine	9046-10-0		0.0323	mg
			Supplier	Silver (Ag)	7440-22-4		0.9149	mg
			Supplier	Proprietary	Proprietary Data		0.0538	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0753	mg
Lead Frame	2980.02	mg	Supplier	Silver (Ag)	7440-22-4		0.0298	mg
			Supplier	Iron (Fe)	7439-89-6		2.98	mg
			Supplier	Copper (Cu)	7440-50-8		2976.1162	mg
			Supplier	Phosphorus (P)	7723-14-0		0.894	mg
Mold Compound-Black	9449.18	mg	Supplier	2,6-dibromo-4-[1-(3-bromo-4-hydroxyphenyl)-1-methylethyl]phenol	6386-73-8		283.4754	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		1889.8359	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		236.2295	mg
			Supplier	Carbon Black (C)	1333-86-4		94.4918	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		6945.147	mg
Plating	77.274	mg	Supplier	Tin (Sn)	7440-31-5		77.274	mg
Thermistor	4.47358	mg	Supplier	Silver (Ag)	7440-22-4		0.3579	mg
			Supplier	Tin (Sn)	7440-31-5		0.0761	mg
			Supplier	Nickel Oxide (NiO)	1313-99-1		1.1631	mg
			Supplier	Palladium (Pd)	7440-05-3		0.1521	mg
			В	Nickel (Ni)	7440-02-0		0.0313	mg
			Supplier	Cobalt Oxide (Co3O4)	1308-06-1		0.7695	mg
			Supplier	Manganese Tetraoxide (Mn3O4)	1317-35-7		1.9236	mg
Wire Bond - Al	50.409	mg	Supplier	Aluminum (Al)	7429-90-5		50.409	mg
Wire Bond - Cu	1.79769	mg	Supplier	Copper (Cu)	7440-50-8		1.7977	mg