ASSOCIATION	CONNECTING CS INDUSTRIES CS INDUSTRIES CS INDUSTRIES	PC, Bannockt	ourn, Illinois. A	All rights reserved u ntions.	nder both	This docume level parts, t	ent is a declarati he declaration e	on of the subs ncompasses a	stances wit Ill lower le	hin the manufactur vel materials for w	rer listed it hich the m	em. Note: if anufacturer	the item is an as has engineering	ssembly with low responsibility.
752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and Mi	g Informati	on		
upplie	r Information													
Company name* Company unio				ique ID U			Unique ID Authority				Response Date*			
nsemi											2024-05-11			
ontact N	Jame	Title - Contact]	Phone - Contact*				Email - Contact*				
Product-l	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
uthorize	ed Representative*	Title - Representative]	Phone - Representative*				Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com			
	Requester Item Number Mfr Item FSQ110 FSQ110		Number Mfr Item Name				Effective Date	Version	Mar	Manufacturing Site		Veight*	UOM	Unit Type
				FPS FOR DVDP/STB			2024-05-11 PH4		Ļ	4	78.437	mg	Each	
Ianufa	cturing Proccess Informa	tion												
	Terminal Plating / Grid Array Material		Ferminal Base Alloy J-STD-020 M		J-STD-020 MS	L Rating	Peak Process Body Temperat		nperature	ure Max Time at Peak Temper		are Numb	er of Reflow Cyc	cles
Matte Tin (Sn) - annealed		CU Alloy	Alloy NA			0 C		30	seconds 3					
omments	3													
or more	information regarding material	composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth					
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of				
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted				
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all				
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.									
Supplier Digital Signature Ra	stislav Drska	Le							

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	1.6	mg	Supplier	Silicon (Si)	7440-21-3		1.6	mg	
Die Attach	3.0	mg	Supplier	Silver (Ag)	7440-22-4		2.25	mg	
			Supplier	Phenolic Resin-2	54208-63-8		0.75	mg	
Lead Frame	137.787	mg	Supplier	Silver (Ag)	7440-22-4		0.69	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.193	mg	
			Supplier	Iron (Fe)	7439-89-6		3.6	mg	
			Supplier	Copper (Cu)	7440-50-8		133	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.304	mg	
Mold Compound-Black	321.0	mg		Phenolic Resin	proprietary data		25.68	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		25.68	mg	
			Supplier	Carbon Black (C)	1333-86-4		1.605	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		268.035	mg	
Plating	9.05	mg	Supplier	Tin (Sn)	7440-31-5		9.05	mg	
Wire Bond - Au	6.0	mg	Supplier	Gold (Au)	7440-57-5		6	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).