Supplier Information Company name* onsemi Contact Name	C Web Site for Information o p://www.ipc.org/IPC-175x n			Form Type * Distribute		claration Class * ass 6 - RoHS Yes/	No, Homogeneous Materia	als and Mfg Informatio	n			
Company name* nsemi Contact Name	n	Company un	ique ID									
nsemi ontact Name		Company un	ique ID									
ontact Name				Company unique ID			Unique ID Authority			Response Date*		
								2024-05-12				
'roduct-Env-Stewards		Contact Name Title - Contact			Phone - Contact*			Email - Contact*				
	Product-Env-Stewards Product Env			Enviro Compliance		NA			Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Representative			sentative		Phone - Representative*			Email - Representative*				
Product-Env-Stewards Product			ct Enviro Compliance		NA			Product-Env-Stewards@onsemi.com				
Requester Item	n Number Mfr Ite	m Number	Mfr Item Name		Effective Date	e Version	Manufacturing Site	Weight*	UOM	Unit Type		
	LM31	ZZRMG	ANA 100MA ADJU	ST OUT VREG	2024-05-12		CNF	198.01	mg	Each		
Ianufacturing Proce		m · 1p	A11 1 01	TD 020 MGI D (D. I. T.	. M. T D. I	T	CD CL C			
, , , , , , , , , , , , , , , , , , ,				TD-020 MSL Rating		Peak Process Body Temperature Max Time at Peak						
` ` `	- annealed	CU Alloy	NA		0	C	30	seconds 3				
omments												
	garding material composition											

RoHS Material Composition Declaration			Declaration Type *	Detail	led					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU										
cadmium, hexavalentchromium, polybromir contains a RoHS restricted substance inexce encompass all such components. Supplier ce as of the date that Supplier completes this fo Company acknowledges that Supplier may l independently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated dipless of an applicable quantity limit, please intifies that it gathered the information it prome. Supplier acknowledges that Company have relied on information provided by other by others, Supplier agrees that, at a mining and the Supplier enter into a written agree esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substational substance below which, if any, RoHS exemption by desired in this form using appropriate method will rely on this certification in determining ters in completing this form, and that Supplies have provided certification between the will respect to the identified part, the Company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects the company is the company that the company tha	ws of the European Union member states) of the pnce") in excess of the applicable quantity limit iden you believe may apply. If the part is an assemble is to ensure its accuracy and that such information the compliance of its products with European Union may not have independently verified such informs regarding their contributions to the part, and tho terms and conditions of that agreement, including the provides in this formation information the Supplier provides in this formation.	entified above. If a y with lower level is true and correct on member state la nation. However, in se certifications are any warranty rigl	n homogeneous material within the part components, the declaration shall t to the best of its knowledge and belief, aws that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the hts and/or remedies provided as part of					
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substa	ances per the definition above	Supplier Ac	ceptance *	Accepted					
Exemption: If the declared item does not applicable exemptions.	contain RoHS restricted substances per	the definition above except for defined Ro	oHS exemptions, then select the corresponding	response in the R	oHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructional Complete all of the required	fields on all neggs of this form. Calcut th		a duan dawn. This will display the signature on	a Digitally sign	the declaration (if recurined by the					
Instructions: Complete all of the required Requester) and click on Submit Form to			e drop-down. This will display the signature ar	ea. Digitally sign	the declaration (if required by the					

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	3.2	mg	Supplier	Silicon (Si)	7440-21-3		3.2	mg
Die Attach	5.15	mg	Supplier	Silver (Ag)	7440-22-4		4.3775	mg
			Supplier	Phenolic Resin	Proprietary Data		0.7725	mg
Lead Frame	80.67	mg	Supplier	Silver (Ag)	7440-22-4		0.0081	mg
			Supplier	Iron (Fe)	7439-89-6		0.0807	mg
			Supplier	Copper (Cu)	7440-50-8		80.5571	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0242	mg
Mold Compound-Black	106.15	mg		Phenol Resin	proprietary data		10.615	mg
			Supplier	Carbon Black (C)	1333-86-4		1.0615	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		81.7355	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		12.738	mg
Plating	2.74	mg	Supplier	Tin (Sn)	7440-31-5		2.74	mg
Wire Bond - Au	0.1	mg	Supplier	Gold (Au)	7440-57-5		0.1	mg