ABBOCIATION CONNECTING LECTRONICS INDUSTRIES® INDUSTRIES®	ckburn, Illinois. A	ll rights reserved un ntions.	nder both	This docume level parts, t	ent is a declar he declaration	ation of the n encompass	substances ses all lowe	within the materia	nufacturer list ls for which tl	ed item. ne manut	Note: if th facturer ha	ne item is an ass as engineering i	sembly with lower responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Inform						formation	l		
Supplier Information														
mpany name* Company unique ID				Unique ID Authority					Resp	Response Date*				
onsemi	ısemi				2024-05-11									
Contact Name	tact Name Title - Contact				Phone - Contact*					Email - Contact*				
roduct-Env-Stewards Product Enviro Compliance					NA				Pro	Product-Env-Stewards@onsemi.com				
athorized Representative* Title - Representative]	Phone - Representative*				Ema	Email - Representative*				
Product-Env-Stewards Product Enviro Compliance			NA						Pro	Product-Env-Stewards@onsemi.com				
Requester Item Number Mfr I	Ifr Item Number Mfr Item Na		ime		Effective Da	ate Versio	n :	Manufacturing Site		Weig	;ht*	UOM	Unit Type	
M74I G	CX16373DTR2 LOG CMOS LAT		CH 16BIT		2024-05-11 PH1		PH1	-		15	mg	Each		
Manufacturing Proccess Information					•									
Terminal Plating / Grid Array Material	Terminal Base	Ferminal Base Alloy J-S		L Rating Pea		k Process Body Temperature Max Time at Per		at Peak Temp	Temperature Number		of Reflow Cyc	les		
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			l		260		C 30		se	conds	ıds 3			
Comments	•				·									
evel 1 - maximum time at peak temperature during	soldering is 10-3	0 seconds												
For more information regarding material compositi	on please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	2.3	mg	Supplier	Silicon (Si)	7440-21-3		2.3	mg	
Die Attach	3.83	mg	Supplier	Silver (Ag)	7440-22-4		2.8725	mg	
			Supplier	Epoxy resins	129915-35-1		0.9575	mg	
Lead Frame 6	60.05	mg	Supplier	Iron (Fe)	7439-89-6		1.1409	mg	
			Supplier	Copper (Cu)	7440-50-8		58.909	mg	
Mold Compound-Black 1	117.21	mg		Epoxy resin	proprietary data		5.8605	mg	
			Supplier	Phenolic Resin	Proprietary Data		5.8605	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		2.3442	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.586	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		102.5587	mg	
Plating	7.91	mg	Supplier	Palladium (Pd)	7440-05-3		0.6012	mg	
			В	Nickel (Ni)	7440-02-0		7.1981	mg	
			Supplier	Gold (Au)	7440-57-5		0.1107	mg	
Wire Bond - Au	1.15	mg	Supplier	Gold (Au)	7440-57-5		1.15	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signar range of distribution unless otherwise noted)