| ASDCIATION CONNECTING<br>ELECTRANCE INDUSTRIES® INCLUSTRIES | C. Bannockł                     | ourn. Illinois. A    | Il rights reserved untions. | under both              | This docume<br>level parts, t | ent is a declarat   | ion of the spencompasse                                 | ubstances<br>s all lowe | within the m<br>r level mater | anufacture                      | r listed iten<br>ich the man | . Note: if<br>ufacturer | f the item is an as<br>has engineering | sembly with lowe<br>responsibility. |
|---|---------------------------------|----------------------|-----------------------------|-------------------------|-------------------------------|---|---|-------------------------|-------------------------------|---------------------------------|------------------------------|-------------------------|--|-------------------------------------|
|   |                                 |                      |                             | Form Type<br>Distribute | *                             | * Declaration Class *<br>Class 6 - RoHS Yes/No, Homogeneous Mater |   |                         |                               |                                 | ials and Mfg Information     |                         |  |                                     |
| Supplier Information  |                                 |                      |                             |                         |                               |   |   |                         |                               |                                 |                              |                         |  |                                     |
| Company name*   |                                 |                      | Company unique ID           |                         |                               | Unique ID Authority   |   |                         |                               |                                 | Response Date*               |                         |  |                                     |
| onsemi  |                                 |                      |                             |                         |                               |   |   |                         | 2024-05-16                    |                                 |                              |                         |  |                                     |
| Contact Name Title - Contact                                |                                 |                      | ct                          |                         |                               | Phone - Contact*  |   |                         |                               |                                 | Email - Contact*             |                         |  |                                     |
| Product-Env-Stewards Product 1                              |                                 |                      | uct Enviro Compliance       |                         |                               | NA  |   |                         |                               | Product-Env-Stewards@onsemi.com |                              |                         |  |                                     |
| Authorized Representative* Title - R                        |                                 |                      | e - Representative          |                         |                               | Phone - Representative*   |   |                         |                               | Email - Representative*         |                              |                         |  |                                     |
| Product-Env-Stewards Product                                |                                 |                      | oduct Enviro Compliance     |                         |                               | NA  |   |                         |                               | Product-Env-Stewards@onsemi.com |                              |                         |  |                                     |
| Requester Item Number                                       | uester Item Number Mfr Item Num |                      | Number Mfr Item Name        |                         |                               | Effective Date  | Version   | ]                       | Manufacturing Site            |                                 | We                           | ight*                   | UOM                                    | Unit Type                           |
|   | MC3407                          | MC34072AMTTBG 3-44 V |                             | 3-44 V DUAL OPAMP VIO   |                               | 2024-05-16  |   | 1                       | MY1                           |                                 | 13.                          | 94                      | mg                                     | Each                                |
| Manufacturing Proccess Information                          | ion                             |                      |                             |                         |                               |   |   |                         |                               |                                 | ŀ                            |                         |  |                                     |
| Terminal Plating / Grid Array Material Terminal Base Allo   |                                 |                      | Alloy                       | J-STD-020 MSI           | L Rating                      | Peak Proc   | Peak Process Body Temperature Max Time at Peak Temperat |                         |                               |                                 |                              | Numb                    | er of Reflow Cyc                       | les                                 |
| Matte Tin (Sn) - annealed CU Alloy                          |                                 |                      |                             | 1                       |                               | 260   |   | С                       | 30                            |                                 | seconds                      | 3                       |  |                                     |
| Comments  |                                 |                      |                             |                         |                               |   |   |                         |                               |                                 |                              |                         |  |                                     |
| evel 1 - maximum time at peak temperatu                     | re during so                    | Idering is 10-3      | 0 seconds                   |                         |                               |   |   |                         |                               |                                 |                              |                         |  |                                     |
| or more information regarding material                      | composition                     | please refer to      | page 3                      |                         |                               |   |   |                         |                               |                                 |                              |                         |  |                                     |

| RoHS Material Composition Declaration  |  |  |   | Declaration Type *   | Detailed  |  |  |  |  |  |  |  |
|--|--|--|---|--|---|--|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  | ding RoHS RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).   nomogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, |  |   |  |   |  |  |  |  |  |  |  |
| cadmium, hexavalentchromium, polybrominate<br>contains a RoHS restricted substance inexcess<br>encompass all such components. Supplier certif<br>as of the date that Supplier completes this form<br>Company acknowledges that Supplier may hav<br>independently verified information provided by<br>certification in this paragraph. If the Company a | ed biphenyls and/or polybrominated dip<br>of an applicable quantity limit, please ir<br>ies that it gathered the information it pro-<br>.Supplier acknowledges that Company<br>e relied on informationprovided by othe<br>v others, Supplier agrees that, at a minin<br>and the Supplier enter into a written agre<br>pource of the Supplier's liability and the   | henyl ethers (each a "<br>ndicate below which, i<br>ovides in this form us<br>will rely on this certifiers<br>in completing this<br>num, itssuppliers have<br>eement with respect to<br>Company's remedies | RoHS restricted substance") in exce<br>if any, RoHS exemption you believe<br>ing appropriate methods to ensure if<br>ication in determining the complian<br>form, and that Supplier may not have<br>e provided certifications regarding the<br>to the identified part, the terms and cc<br>for issues that arise regarding inform | ess of the applicable quantity limit identified about<br>the may apply. If the part is an assembly with low<br>is accuracy and that such information is true and<br>ce of its products with European Union member<br>we independently verified such information. How | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>l correct to the best of its knowledge and belief,<br>r state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>tions are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |  |  |  |  |  |  |  |
| RoHS Declaration * 1 - Item(s)   | does not contain RoHS restricted substa  | on above   | Supplier Acceptance   | * Accepted   |   |  |  |  |  |  |  |  |
| Exemption: If the declared item does not con applicable exemptions.  | ntain RoHS restricted substances per   | the definition above   | except for defined RoHS exempti   | ons, then select the corresponding response i  | n the RoHS Declaration above and choose all   |  |  |  |  |  |  |  |
| Exemption List Version   | EL-2011/534/EU   |  |   |  |   |  |  |  |  |  |  |  |
| Declaration Signature  |  |  |   |  |   |  |  |  |  |  |  |  |
| Instructions: Complete all of the required fin<br>Requester) and click on Submit Form to have  | elds on all pages of this form. Select the form returned to the Requester  | he "Accepted" on th  | e Supplier Acceptance drop-down   | . This will display the signature area. Digital  | lly sign the declaration (if required by the  |  |  |  |  |  |  |  |
| Supplier Digital Signature Ra  | stislav Drska  | Le   |   |  |   |  |  |  |  |  |  |  |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| sigma range of distribution unless | otherwise noted). |                 |          |  |                  |        |        |                 |
|------------------------------------|-------------------|-----------------|----------|--|------------------|--------|--------|-----------------|
| Homogeneous Material               | Weight            | Unit of Measure | Level    | Substance  | CAS              | Exempt | Weight | Unit of Measure |
| Die                                | 0.84              | mg              | Supplier | Silicon (Si)   | 7440-21-3        |        | 0.84   | mg              |
| Die Attach                         | 0.55              | mg              | Supplier | Epoxized Condensate Of Para-<br>Hydrobenzaldehyde And Alkyl Phenol | 129915-35-1      |        | 0.176  | mg              |
|                                    |                   |                 | Supplier | Aluminum Trioxide (Al2O3)  | 1344-28-1        |        | 0.374  | mg              |
| Lead Frame                         | 2.39              | mg              | Supplier | Silver (Ag)  | 7440-22-4        |        | 0.0478 | mg              |
|                                    |                   |                 | Supplier | Iron (Fe)  | 7439-89-6        |        | 0.0526 | mg              |
|                                    |                   |                 | Supplier | Copper (Cu)  | 7440-50-8        |        | 2.2896 | mg              |
| Mold Compound-Black                | 9.95              | mg              |          | Epoxy resin  | proprietary data |        | 0.6965 | mg              |
|                                    |                   |                 | Supplier | Phenolic Resin   | Proprietary Data |        | 0.6965 | mg              |
|                                    |                   |                 | Supplier | Silica Amorphous (SiO2)  | 7631-86-9        |        | 1.4925 | mg              |
|                                    |                   |                 | Supplier | Carbon Black (C)   | 1333-86-4        |        | 0.0497 | mg              |
|                                    |                   |                 | Supplier | Fused Silica (SiO2)  | 60676-86-0       |        | 7.0147 | mg              |
| Plating                            | 0.04              | mg              | Supplier | Palladium (Pd)   | 7440-05-3        |        | 0.0013 | mg              |
|                                    |                   |                 | В        | Nickel (Ni)  | 7440-02-0        |        | 0.0383 | mg              |
|                                    |                   |                 | Supplier | Gold (Au)  | 7440-57-5        |        | 0.0004 | mg              |
| Wire Bond - Au                     | 0.17              | mg              | Supplier | Gold (Au)  | 7440-57-5        |        | 0.17   | mg              |

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).