ASSOCIATION CONNECTING	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				under both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.											
1752-21.1	IPC Web Site for Information on IPC-1752 StandardForm Typehttp://www.ipc.org/IPC-175xDistribute				9*	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					als and Mfg Information						
Supplier Informa	tion																
Company name*			Company unique ID			1	Unique ID Authority					Response Date*					
onsemi													2024-05-09				
Contact Name	Title - Contact				Phone - Contact*					Email -	Email - Contact*						
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com					
Authorized Representative*			Title - Representative]	Phone - Representative*				Email - Representative*						
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com					
Requester	Requester Item Number Mfr Item		Number Mfr Item Name				Effective D	Date Ve	ersion	Manufacturing Site		1	Weight*		UOM	Unit Type	
	MC74AC04DTR2		C04DTR2G	LOG CMOS INVERTER HEX			2024-05-09)		PH1		4	5.24		mg	Each	
Manufacturing P	roccess Information	l					·					I					
Terminal Plating / Grid Array Material		al T	erminal Base Alloy J-STD-02		J-STD-020 MS	L Rating	Peak P	rocess Bo	cess Body Temperature Max Time		Time at Peak	ne at Peak Temperatur		re Number of Reflow Cycles			
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			CU Alloy 1		1		260		С	30	30 seco		ds 3				
Comments												•					
evel 1 - maximum tin	ie at peak temperature d	luring sol	dering is 10-3	0 seconds													
or more information	regarding material com	position	please refer to	page 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth					
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of				
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted				
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all				
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.									
Supplier Digital Signature Ra	stislav Drska	Le							

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	2.0	mg	Supplier	Silicon (Si)	7440-21-3		2	mg	
Die Attach	1.44	mg		Epoxy resin	proprietary data		0.144	mg	
			Supplier	Silver (Ag)	7440-22-4		1.152	mg	
			Supplier	Formaldehyde Polymer	9003-36-5		0.144	mg	
Lead Frame	22.54	mg	Supplier	Iron (Fe)	7439-89-6		0.4283	mg	
			Supplier	Copper (Cu)	7440-50-8		22.1117	mg	
Mold Compound-Black	19.0	mg		Epoxy resin	proprietary data		0.95	mg	
			Supplier	Phenolic Resin	Proprietary Data		0.38	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.475	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.095	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		17.1	mg	
Plating	0.04	mg	Supplier	Palladium (Pd)	7440-05-3		0.003	mg	
			В	Nickel (Ni)	7440-02-0		0.0364	mg	
			Supplier	Gold (Au)	7440-57-5		0.0006	mg	
Wire Bond - Au	0.22	mg	Supplier	Gold (Au)	7440-57-5		0.22	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).