ABBOCIATION CONNECTING ELECTRONICS INDUSTRIES® International and Pa	IPC, Bannock	burn, Illinois. A	ll rights reserved u ntions.	nder both	This docume level parts, t	ent is a decla the declaratio	ration con	of the substat mpasses all l	nces wit ower le	hin the manufaction was the manufaction of the materials for the second se	cturer listed i r which the r	item. I manufa	Note: if tl acturer h	he item is an as as engineering	sembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				e *	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					terials and N	als and Mfg Information				
upplier Information																
Company name* Company unique ID			ique ID	D Unique ID .			e ID Authority					Response Date*				
nsemi											2024-05	2024-05-18				
Contact Name Title - Contact					Phone - Contact*					Email -	Email - Contact*					
Product-Env-Stewards Product Enviro Compl				nce			NA					Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Represent			sentative			Phone - Representative*				Email -	Email - Representative*					
Product-Env-Stewards	Product Enviro Compliance				NA				Produc	Product-Env-Stewards@onsemi.com						
Requester Item Number	Mfr Iten	Mfr Item Number Mf		Mfr Item Name		Effective D	ate V	rsion	Manufacturing Site			Weigl	ht*	UOM	Unit Type	
	MC74A	IC74AC157DTR2G LOG CMOS MI		LTIPLXR QUAD		2024-05-18			PH	PH1		45.4		mg	Each	
Aanufacturing Proccess Informa	ition													I	I	
Terminal Plating / Grid Array M	aterial	Terminal Base Alloy		-STD-020 MS	STD-020 MSL Rating		Peak Process Boo		ody Temperature Max Time at Peak		eak Tempera	Temperature Number		of Reflow Cyc	eles	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1		1		260		С		30		nds	3			
omments																
evel 1 - maximum time at peak temperat	ure during so	Idering is 10-3	0 seconds													
or more information regarding materia	composition	please refer to	page 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed								
Directive 2015/863/EU amending RoHS Directive 2011/65/EU													
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of								
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all								
Exemption List Version	EL-2011/534/EU												
Declaration Signature													
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the								
Supplier Digital Signature Ra	stislav Drska	Le											

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	2.0 mg Sup		Supplier	Silicon (Si)	7440-21-3		2	mg	
Die Attach	1.32	mg		Epoxy resin	proprietary data		0.132	mg	
			Supplier	Silver (Ag)	7440-22-4		1.056	mg	
			Supplier	Formaldehyde Polymer	9003-36-5		0.132	mg	
Lead Frame	20.76	mg	Supplier	Iron (Fe)	7439-89-6		0.3944	mg	
			Supplier	Copper (Cu)	7440-50-8		20.3656	mg	
Mold Compound-Black	19.0	mg		Epoxy resin	proprietary data		0.95	mg	
			Supplier	Phenolic Resin	Proprietary Data		0.38	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.475	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.095	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		17.1	mg	
Plating	2.12	mg	Supplier	Palladium (Pd)	7440-05-3		0.1611	mg	
			В	Nickel (Ni)	7440-02-0		1.9292	mg	
			Supplier	Gold (Au)	7440-57-5		0.0297	mg	
Wire Bond - Au	0.2	mg	Supplier	Gold (Au)	7440-57-5		0.2	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).