contact Name Title - Contact Product-Env-Stewards Product Enviro Compliance Authorized Representative* Title - Representative Phone - Contact* Email - Contact* Product-Env-Stewards@onsemi.com Product-Env-Stewards@onsemi.com Phone - Representative* Email - Representative*	©	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
Company name* Company unique ID Unique ID Authority Response Date* 2024-05-11 Contact Name Product Env-Stewards Authorized Representative* Product-Env-Stewards Authorized Representative* Authorized Represe										erials and M	Ifg Informatio	on			
Semil Contact Name Title - Contact Phone - Contact* Phone - Contact* Product Env-Stewards Product Enviro Compliance NA Product-Env-Stewards@onsemi.com uthorized Representative* Product Enviro Compliance NA Product-Env-Stewards@onsemi.com uthorized Representative* Product Enviro Compliance NA Product-Env-Stewards@onsemi.com Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM U	er Informatio	on													
Product-Env-Stewards Product-E	Company name*			Company unique ID			J	Unique ID Authority				Response Date*			
Product-Env-Stewards Uthorized Representative* Title - Representative Product-Env-Stewards Pr	onsemi											2024-05-11			
Title - Representative Phone - Representative Phone - Representative Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards@onsemi.com Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM MC7809ACTG ANA 1A 9V VREG 2024-05-11 MY1 1365.61 mg Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Mate Tin (Sn) - annealed CU Alloy NA 0 C 30 seconds 3	Contact Name				Title - Contact			Phone - Contact*				Email - Contact*			
Product-Env-Stewards Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM MC7809ACTG ANA 1A 9V VREG 2024-05-11 MY1 1365.61 mg Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy Matte Tin (Sn) - annealed CU Alloy NA Product-Env-Stewards@onsemi.com Manufacturing Site Weight* UOM Manufacturing Site Weight* UOM Manufacturing Site Weight* UOM Manufacturing Proccess Information CU Alloy NA O C 30 Seconds 3	Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com			
Requester Item Number	Authorized Representative*			Title - Representative			1	Phone - Representative*			Email -	Email - Representative*			
MC7809ACTG ANA 1A 9V VREG 2024-05-11 MY1 1365.61 mg Image: Control of the cont	Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com			
Janufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycle Matte Tin (Sn) - annealed CU Alloy NA 0 C 30 seconds 3	Requester Itei	Requester Item Number Mfr Item		m Number Mfr Item Name				Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycle Matte Tin (Sn) - annealed CU Alloy NA 0 C 30 seconds 3			MC7809ACTG ANA 1A 9V VRE		EG		2024-05-11		MY1		1365.61	mg	Each		
Matte Tin (Sn) - annealed CU Alloy NA 0 C 30 seconds 3															
France I'm (OH) unincuted OC I'm y 1717 0 C DV Seconds 10	8					L Rating				· · · · · · · · · · · · · · · · · · ·			les		
omments		n) - annealed	C	CU Alloy	1	NA		0	<u> </u>	30	secon	ids 3			
	ıts														
or more information regarding material composition please refer to page 3			•.•												

RoHS Material Composition Declaration			Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower lever components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.										
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted substance	es per the definition above except for selected exemp	otions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.										
Supplier Digital Signature Ra	astislav Drska	-6_								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	1.61	mg	Supplier	Silicon (Si)	7440-21-3		1.61	mg
Die Attach	0.21	mg	A	Lead (Pb)	7439-92-1	7a	0.1995	mg
			Supplier	Tin (Sn)	7440-31-5		0.0105	mg
Lead Frame	677.24		В	Nickel (Ni)	7440-02-0		0.3386	mg
			Supplier	Iron (Fe)	7439-89-6		0.6772	mg
			Supplier	Copper (Cu)	7440-50-8		676.0209	mg
			Supplier	Phosphorus (P)	7723-14-0		0.2032	mg
Mold Compound-Black	644.0			Phenolic Resin	proprietary data		38.64	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		64.4	mg
			Supplier	Carbon Black (C)	1333-86-4		3.22	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		48.3	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		489.44	mg
Plating	42.4	mg	Supplier	Tin (Sn)	7440-31-5		42.4	mg
Wire Bond - Cu	0.15	mg	Supplier	Copper (Cu)	7440-50-8		0.15	mg