ABBOCIATION CONNECTING LECTRONICS INDUSTRIES LECTRONICS INDUSTRIES	IPC, Bannockt	ourn, Illinois. A	Il rights reserved untions.	nder both	This docum level parts, t	ent is a declara the declaration	tion of the s encompasse	ubstances es all lower	within the manufactur r level materials for w	rer listed i hich the n	em. Note: i anufacture	if the item is an as r has engineering	sembly with lower responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information				
Supplier Information														
Company name* Com			Company unique ID			Unique ID Authority					Response Date*			
onsemi										2024-05-12				
Contact Name Title - Contact			ict			Phone - Contact*				Email - Contact*				
Product-Env-Stewards Product E			duct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Rep			- Representative			Phone - Representative*			Email - Representative*					
Product-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Requester Item Number	Number Mfr Item Number		er Mfr Item Name			Effective Dat	e Version	N	Manufacturing Site		Weight*	UOM	Unit Type	
	MMDL9	IMDL914T1G SS SOD323 SWCH		CH DIO 100V		2024-05-12 CN1		CN1		4.51	mg	Each		
Manufacturing Proccess Inform	ation													
Terminal Plating / Grid Array M	Terminal Plating / Grid Array Material Terminal Base Allo		Alloy J	J-STD-020 MSI	L Rating	Peak Pro	cess Body 7	emperatur	e Max Time at Peak	Temperat	ure Numb	per of Reflow Cyc	eles	
Matte Tin (Sn) - annealed CU Alloy		1	1		260		С	30	secon	ds 3				
Comments														
evel 1 - maximum time at peak tempera	ture during sol	ldering is 10-3	0 seconds											
For more information regarding materia	al composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).										
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	0.49	mg	Supplier	Silicon (Si)	7440-21-3		0.49	mg		
Lead Frame	0.86	mg	В	Nickel (Ni)	7440-02-0		0.3122	mg		
			Supplier	Iron (Fe)	7439-89-6		0.4317	mg		
			Supplier	Copper (Cu)	7440-50-8		0.1161	mg		
Mold Compound-Black	3.02	mg	Supplier	Boron zinc hydroxide oxide	138265-88-0		0.0906	mg		
			Supplier	Zinc Monoxide (ZnO)	1314-13-2		0.0151	mg		
			Supplier	2,4,6-triamino-s-triazincompd.withs- triazine-triol	37640-57-6		0.0906	mg		
			Supplier	Silica Amorphous (SiO2)	7631-86-9		2.416	mg		
			Supplier	Carbon Black (C)	1333-86-4		0.0302	mg		
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.2416	mg		
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.1359	mg		
Plating	0.13	mg	Supplier	Tin (Sn)	7440-31-5		0.13	mg		
Wire Bond - Cu	0.01	mg	Supplier	Copper (Cu)	7440-50-8		0.01	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).