© Copyright 2005. IP	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.								
				Form Type * Distribute					als and Mfg Information				
Supplier Information													
Company name*		Company unique ID			τ	Unique ID Authority				Response Date*			
semi								2024-05-16					
ntact Name Title - Contact				Phone - Contact*				Email - Contact*					
Product-Env-Stewards Product			roduct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Representati			entative P		Phone - Representative*			Email - Representative*					
Product-Env-Stewards	Product Enviro Compliance]	NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item	n Number	r Mfr Item Name			Effective Date	Version	Ν	Manufacturing Site		Weight*	UOM	Unit Type
	NB7NP0 WG	IB7NPQ1004MMTT 3.3 V USB 3.1 Ge VG / Dual Port Linear		en-2 10Gbps Quad Cl r Redriver	hannel	2024-05-16	PHG		٤	38.73	mg	Each	
Manufacturing Proccess Informat	ion												
Terminal Plating / Grid Array Mat	Perminal Plating / Grid Array Material Terminal Base Al		Alloy	J-STD-020 MSL Rati	ng	Peak Proce	ss Body Ter	nperatur	e Max Time at Peak	Temperat	ure Numb	per of Reflow Cyc	les
Matte Tin (Sn) - annealed CU Alloy			1		260		С	30	secon	ds 3			
Comments													
level 1 - maximum time at peak temperatu	re during sol	ldering is 10-3	0 seconds										
For more information regarding material o	omposition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	1.48	mg	Supplier	Silicon (Si)	7440-21-3		1.48	mg
Die Attach	0.35	mg	Supplier	Isobornyl Methacrylate	7534-94-3		0.021	mg
			Supplier	Silver (Ag)	7440-22-4		0.2853	mg
			Supplier	Isobornyl Acrylate	5888-33-5		0.021	mg
			Supplier	Misc.	Proprietary Data		0.0017	mg
			Supplier	Tricyclo[5.2.1.02,6]decanedimethanol Diacrylate (C18H24O4)	42594-17-2		0.021	mg
Lead Frame	30.52	mg	Supplier	Silver (Ag)	7440-22-4		0.6104	mg
			Supplier	Iron (Fe)	7439-89-6		0.6714	mg
			Supplier	Copper (Cu)	7440-50-8		29.2382	mg
Mold Compound-Black	54.16	mg		Epoxy resin	proprietary data		2.708	mg
			Supplier	Phenolic Resin	Proprietary Data		1.2457	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		2.708	mg
			Supplier	Carbon Black (C)	1333-86-4		0.2166	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		1.2457	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		46.036	mg
lating	2.0	mg	Supplier	Tin (Sn)	7440-31-5		2	mg
Wire Bond	0.22	mg	Supplier	Palladium (Pd)	7440-05-3		0.0044	mg
			Supplier	Gold (Au)	7440-57-5		0.0011	mg
			Supplier	Copper (Cu)	7440-50-8		0.2145	mg