ASSOCIATION CONNECTING LECTRONICS INDUSTRIES INDUSTRIES International and Pan-	C. Bannockł	ourn. Illinois. A	Il rights reserved untions.	under both	This docum level parts, t	ent is a declar the declaration	ation of the sencompass	substances es all lowe	within the er level mat	manufacture terials for wh	er listed ite nich the ma	m. Note: nufacture	if the item is an as er has engineering	ssembly with lower responsibility.
IPC Web Site for Information on IPC-1752 Standard Form Ty				Form Type Distribute	*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information			
Supplier Information														
Company name*	Company un	Company unique ID			Unique ID Authority					Response Date*				
onsemi											2024-05-09			
Contact Name	ntact Name Title - Contact			Phone			ne - Contact*				Email - Contact*			
Product-Env-Stewards Produ			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Tit			Title - Representative			Phone - Representative*				Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	er Item Number Mfr Item		n Number Mfr Item Name			Effective Da	te Versior	e Version Manufacturing Site		ring Site	W	'eight*	UOM	Unit Type
	NCP380 BG	NCP380HMU05AAT OVER CURREN BG		T PROTECTIO	ON	2024-05-09			MY1		6.	65	mg	Each
Manufacturing Proccess Informati	on													
Terminal Plating / Grid Array Material Terminal Base Alloy			Alloy	J-STD-020 MS	MSL Rating Peak Process Body Temperature Max Time at Peak T					Temperature Number of Reflow Cycles				
Matte Tin (Sn) - annealed CU Alloy				1		260		C	30		second	s 3		
Comments														
evel 1 - maximum time at peak temperatur	e during so	Idering is 10-3	0 seconds											
for more information regarding material c	omposition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted	
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the
Supplier Digital Signature Ra	stislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

signia range of distribution diffess otherwise noted).										
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	0.32	mg	Supplier	Silicon (Si)	7440-21-3		0.32	mg		
Die Attach	0.05	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.016	mg		
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.034	mg		
Lead Frame 2	2.75	mg	Supplier	Silver (Ag)	7440-22-4		0.066	mg		
			Supplier	Tin (Sn)	7440-31-5		0.0069	mg		
			Supplier	Zinc (Zn)	7440-66-6		0.006	mg		
			Supplier	Chromium (Cr)	7440-47-3		0.0069	mg		
			Supplier	Copper (Cu)	7440-50-8		2.6642	mg		
Mold Compound-Black	3.09	mg	Supplier	Epoxy and Phenolic Resin	40216-08-8		0.2472	mg		
			Supplier	Carbon Black (C)	1333-86-4		0.0154	mg		
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.0618	mg		
			Supplier	Fused Silica (SiO2)	60676-86-0		2.6728	mg		
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0927	mg		
Plating	0.2	mg	Supplier	Tin (Sn)	7440-31-5		0.2	mg		
Wire Bond - Au	0.24	mg	Supplier	Gold (Au)	7440-57-5		0.24	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).