Supplier Information  Company name*  Onsemi  Contact Name	eb Site for Information on II www.ipc.org/IPC-175x	PC-1752 Standar  Company uniqu  Title - Contact	Dis	m Type * tribute	Clas		o, Homogeneous Materia		On .			
Company name*  nsemi  Contact Name			ue ID		Unique ID Auth	ority		Response Date*				
nsemi Contact Name			ue ID		Unique ID Auth	ority		Response Date*				
ontact Name		Title - Contact					Unique ID Authority			Response Date*		
		Title - Contact						2024-05-11				
'roduct-Env-Stewards		1	ele - Contact		Phone - Contact*			Email - Contact*				
	Product-Env-Stewards Pr			Product Enviro Compliance		NA			Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Repre			epresentative		Phone - Representative*			Email - Representative*				
roduct-Env-Stewards	Product Enviro	roduct Enviro Compliance			NA			Product-Env-Stewards@onsemi.com				
Requester Item Nun	mber Mfr Item	Number N	Mfr Item Name		Effective Date	Version	Manufacturing Site	Weight*	UOM	Unit Type		
	NCP4312	ACLPRAG A	ANA 2.5V PROG SHUNT REF		2024-05-11		CNF	198.01	mg	Each		
Ianufacturing Process			I GTD	OOO MGL P. C	D 1 D	D. I. T.	M. T D. L.	T N	CD CL	,		
8		,		020 MSL Rating		Peak Process Body Temperature   Max Time at Peak			er of Reflow Cy	cles		
	inealed C	CU Alloy	NA		0	C	30	seconds 3				
omments												
or more information regardi												

RoHS Material Composition Declaration			Declaration Type *	Detail	ed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		ium (Cr6+), Polybrominated Biphenyls (PB)	erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a		
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct at it in member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted
Exemption: If the declared item does not applicable exemptions.	contain RoHS restricted substances per t	he definition above except for defined Rol	IS exemptions, then select the corresponding	response in the R	oHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	3.2	mg	Supplier	Silicon (Si)	7440-21-3		3.2	mg
Die Attach	5.15	mg	Supplier	Silver (Ag)	7440-22-4		4.3775	mg
			Supplier	Phenolic Resin	Proprietary Data		0.7725	mg
Lead Frame	80.67	mg	Supplier	Silver (Ag)	7440-22-4		0.0081	mg
			Supplier	Iron (Fe)	7439-89-6		0.0807	mg
			Supplier	Copper (Cu)	7440-50-8		80.5571	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0242	mg
Mold Compound-Black	106.15	mg		Phenol Resin	proprietary data		10.615	mg
			Supplier	Carbon Black (C)	1333-86-4		1.0615	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		81.7355	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		12.738	mg
Plating	2.74	mg	Supplier	Tin (Sn)	7440-31-5		2.74	mg
Wire Bond - Au	0.1	mg	Supplier	Gold (Au)	7440-57-5		0.1	mg