ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lowe level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.								
752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute					* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					Informatio	on	
upplier Inform								,					
Company name*		Company u	Company unique ID			Unique ID Authority				Response Date*			
onsemi										2024-05-21			
Contact Name		Title - Cont	Title - Contact			Phone - Contact*				Email - Contact*			
Product-Env-Stewa	rds	Product En	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
uthorized Represe	ntative*	Title - Repr	Title - Representative			Phone - Representative*				Email - Representative*			
Product-Env-Stewa	rds	Product En	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
Requeste	Requester Item Number Mfr Item		m Number Mfr Item Name			Effective Date	fective Date Version Manufacturing Site		Innufacturing Site	We	ight*	UOM	Unit Type
		NCP45524IMNTWG- H	NCP45524IMNT	WG-h		2024-05-21		P	HG	11.	76364	mg	Each
Ianufacturing l	Proccess Information	1											
Terminal 1	al Terminal Base	erminal Base Alloy J-STD-020 MSL		SL Rating	Peak Process Body Temperature Max Time at		e Max Time at Peak	Temperature	Numbe	er of Reflow Cyc	eles		
Matte Tin (Sn) - annealed		CU Alloy	CU Alloy 3			<b>260</b> C		С	30	seconds	3	-	
omments													
TTENTION: MSL	3 Rated item requires Ba	ke and Dry Pack (aft	er electrical test)										
or more informatio	on regarding material com	position please refer	o page 3										

RoHS Material Composition Declaration			Declaration Type *	Detail	ed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU  RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier have not with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Itaalian and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.										
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted					
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the					

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.63	mg	Supplier	Silicon (Si)	7440-21-3		0.63	mg
Die Attach	0.12964	mg		Resin	proprietary data		0.0104	mg
			Supplier	Silver (Ag)	7440-22-4		0.1095	mg
			Supplier	Formaldehyde Polymer	9003-36-5		0.0097	mg
Die Attach Epoxy	0.03	mg		Epoxy resin	proprietary data		0.0195	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.0105	mg
Lead Frame	4.29	mg	Supplier	Silver (Ag)	7440-22-4		0.0858	mg
			Supplier	Tin (Sn)	7440-31-5		0.0107	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0094	mg
			Supplier	Chromium (Cr)	7440-47-3		0.0107	mg
			Supplier	Copper (Cu)	7440-50-8		4.1733	mg
Mold Compound-Black	6.0	mg	Supplier	Epoxy and Phenolic Resin	40216-08-8		0.48	mg
			Supplier	Carbon Black (C)	1333-86-4		0.03	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.12	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		5.19	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.18	mg
Plating	0.46	mg	Supplier	Tin (Sn)	7440-31-5		0.46	mg
Wire Bond - Au	0.224	mg	Supplier	Gold (Au)	7440-57-5		0.224	mg