| ASSOCIATION CONNECTIN                      | Material Composit<br>© Copyright 2005. IPC,<br>international and Pan-Ar                              | Bannockb                  | urn, Illinois. A                 | Il rights reserved untions. | under both   | This docum<br>level parts,   | ent is a declara the declaration | tion of the sencompasse      | ubstances<br>es all lower | within the manufactu<br>r level materials for w | rer listed                      | tem. Note: i<br>nanufacturer | f the item is an as<br>has engineering | ssembly with lower responsibility. |  |
|--|--|---------------------------|----------------------------------|-----------------------------|--|------------------------------|----------------------------------|------------------------------|---------------------------|---|---------------------------------|------------------------------|--|------------------------------------|--|
| 1752-21.1                                  | IPC Web Site for Information on IPC-1752 Standard Form Type   http://www.ipc.org/IPC-175x Distribute |                           |                                  |                             | * Declaration Class *<br>Class 6 - RoHS Yes/No, Homogeneous Materi |                              |                                  |                              |                           | ials and N                                      | als and Mfg Information         |                              |  |                                    |  |
| Supplier Inform                            | ation  |                           |                                  |                             |  |                              |                                  |                              |                           |   |                                 |                              |  |                                    |  |
| Company name*                              |  |                           | Company unique ID                |                             |  |                              | Unique ID Authority              |                              |                           |   |                                 | Response Date*               |  |                                    |  |
| onsemi                                     |  |                           |                                  |                             |  |                              |                                  |                              |                           |   | 2024-05-21                      |                              |  |                                    |  |
| Contact Name                               |  | Title - Contact           |                                  |                             |  | Phone - Contact*             |                                  |                              |                           | Email - Contact*                                |                                 |                              |  |                                    |  |
| Product-Env-Stewards                       |  |                           | Product Enviro Compliance        |                             |  |                              | NA                               |                              |                           |   | Product-Env-Stewards@onsemi.com |                              |  |                                    |  |
| Authorized Represe                         | ntative*   | Title - Representative    |                                  |                             |  | Phone - Representative*      |                                  |                              |                           | Email - Representative*                         |                                 |                              |  |                                    |  |
| Product-Env-Stewa                          | ırds   | Product Enviro Compliance |                                  |                             |  | NA                           |                                  |                              |                           | Product-Env-Stewards@onsemi.com                 |                                 |                              |  |                                    |  |
| Requeste                                   | Requester Item Number Mfr Item   |                           | n Number Mfr Item Name           |                             |  |                              | Effective Dat                    | e Version                    | N                         | Manufacturing Site                              |                                 | Weight*                      | UOM                                    | Unit Type                          |  |
|  |  | NCP5515                   | NCP551SN31T1G 3.1V CMOS / T      |                             | OP-5 LDO   |                              | 2024-05-21                       | MY1                          |                           | MY1   |                                 | 14.08                        | mg                                     | Each                               |  |
| Manufacturing                              | Proccess Information   | 1                         |                                  |                             |  |                              |                                  |                              |                           |   |                                 |                              |  |                                    |  |
| Terminal Plating / Grid Array Material Ter |  |                           | erminal Base Alloy J-STD-020 MSI |                             | L Rating   | Peak Process Body Temperatur |                                  | ure Max Time at Peak Tempera |                           | ture Numb                                       | er of Reflow Cy                 | cles                         |  |                                    |  |
| Matte Tin (Sn) - annealed CU Alloy         |  |                           | CU Alloy                         |                             | 1  |                              | 260                              |                              | C                         | 30  | secor                           | nds 3                        |  |                                    |  |
| Comments                                   |  |                           |                                  |                             |  |                              |                                  |                              |                           |   |                                 |                              |  |                                    |  |
| evel 1 - maximum t                         | ime at peak temperature o  | luring sol                | dering is 10-3                   | 0 seconds                   |  |                              |                                  |                              |                           |   |                                 |                              |  |                                    |  |
| or more informati                          | on regarding material con  | position ]                | please refer to                  | page 3                      |  |                              |                                  |                              |                           |   |                                 |                              |  |                                    |  |

| RoHS Material Composition Declaration  |  |  |   | Declaration Type *                              | Detailed  |  |  |  |  |  |  |
|--|--|--|---|---|---|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  | RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP). |  |   |   |   |  |  |  |  |  |  |
| cadmium, hexavalentchromium, polybrominate<br>contains a RoHS restricted substance inexcess<br>encompass all such components. Supplier certif<br>as of the date that Supplier completes this form<br>Company acknowledges that Supplier may hav<br>independently verified information provided by<br>certification in this paragraph. If the Company a | ed biphenyls and/or polybrominated dip<br>of an applicable quantity limit, please ir<br>ies that it gathered the information it pro-<br>.Supplier acknowledges that Company<br>e relied on informationprovided by othe<br>y others, Supplier agrees that, at a minin<br>and the Supplier enter into a written agre<br>pource of the Supplier's liability and the   | henyl ethers (each a "<br>ndicate below which, i<br>ovides in this form us<br>will rely on this certifiers<br>in completing this<br>num, itssuppliers have<br>eement with respect to<br>Company's remedies | RoHS restricted substance") in exce<br>if any, RoHS exemption you believe<br>ing appropriate methods to ensure if<br>ication in determining the complian<br>form, and that Supplier may not have<br>e provided certifications regarding the<br>to the identified part, the terms and co<br>for issues that arise regarding inform | ce of its products with European Union membe    | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>l correct to the best of its knowledge and belief,<br>r state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>tions are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |  |  |  |  |  |  |
| RoHS Declaration * 1 - Item(s)   | does not contain RoHS restricted substa  | ances per the definitio  | on above  | Supplier Acceptance                             | * Accepted  |  |  |  |  |  |  |
| Exemption: If the declared item does not con applicable exemptions.  | ntain RoHS restricted substances per   | the definition above   | except for defined RoHS exempti   | ons, then select the corresponding response i   | n the RoHS Declaration above and choose all   |  |  |  |  |  |  |
| Exemption List Version   | EL-2011/534/EU   |  |   |   |   |  |  |  |  |  |  |
| Declaration Signature  |  |  |   |   |   |  |  |  |  |  |  |
| Instructions: Complete all of the required fin<br>Requester) and click on Submit Form to have  | elds on all pages of this form. Select the form returned to the Requester  | he "Accepted" on th  | e Supplier Acceptance drop-down   | . This will display the signature area. Digital | lly sign the declaration (if required by the  |  |  |  |  |  |  |
| Supplier Digital Signature Ra  | stislav Drska  | Le   |   |   |   |  |  |  |  |  |  |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| Homogeneous Material | Weight | Unit of Measure | Level    | Substance                  | CAS              | Exempt | Weight | Unit of Measure |
|----------------------|--------|-----------------|----------|----------------------------|------------------|--------|--------|-----------------|
| Die                  | 0.42   | mg              | Supplier | Silicon (Si)               | 7440-21-3        |        | 0.42   | mg              |
| Die Attach           | 0.11   | mg              | Supplier | Silver (Ag)                | 7440-22-4        |        | 0.088  | mg              |
|                      |        |                 | Supplier | Phenolic Resin-2           | 54208-63-8       |        | 0.022  | mg              |
| Lead Frame           | 5.78   | mg              | Supplier | Silver (Ag)                | 7440-22-4        |        | 0.0705 | mg              |
|                      |        |                 | Supplier | Zinc (Zn)                  | 7440-66-6        |        | 0.0069 | mg              |
|                      |        |                 | Supplier | Iron (Fe)                  | 7439-89-6        |        | 0.1358 | mg              |
|                      |        |                 | Supplier | Copper (Cu)                | 7440-50-8        |        | 5.565  | mg              |
|                      |        |                 | Supplier | Phosphorus (P)             | 7723-14-0        |        | 0.0017 | mg              |
| Mold Compound-Black  | 7.34   | mg              |          | Epoxy resin                | proprietary data |        | 0.367  | mg              |
|                      |        |                 | Supplier | Phenolic Resin             | Proprietary Data |        | 0.367  | mg              |
|                      |        |                 | Supplier | Ortho Cresol Novolac Resin | 29690-82-2       |        | 0.1468 | mg              |
|                      |        |                 | Supplier | Carbon Black (C)           | 1333-86-4        |        | 0.0367 | mg              |
|                      |        |                 | Supplier | Fused Silica (SiO2)        | 60676-86-0       |        | 6.4225 | mg              |
| Plating              | 0.39   | mg              | Supplier | Tin (Sn)                   | 7440-31-5        |        | 0.39   | mg              |
| Wire Bond - Au       | 0.04   | mg              | Supplier | Gold (Au)                  | 7440-57-5        |        | 0.04   | mg              |

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).