ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® INDUSTRIES® INDUSTRIES®	nockburn, Illinois, Al	ll rights reserved u tions.	nder both This doct level part	ment is a s, the dec	declaration laration end	n of the sub compasses a	ostances v all lower	within the manufactur level materials for w	er listed ite hich the m	em. Note: if anufacturer l	the item is an as	sembly with lower responsibility.
	IPC Web Site for Information on IPC 1752 Standard Form Ty			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia				als and Mf	als and Mfg Information			
Supplier Information												
Company name* Company unique ID				Unique ID Authority					Response Date*			
onsemi	mi							2024-05-16				
Contact Name	Title - Contact			Phone - Contact*				Email - Contact*				
Product-Env-Stewards	ards Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
uthorized Representative* Title - Representative				Phone - Representative*				Email - Representative*				
Product-Env-Stewards Product Enviro Complia			iance N			NA			Product-Env-Stewards@onsemi.com			
Requester Item Number Mfn	r Item Number	Mfr Item Name		Effec	tive Date	Version	Ν	Ianufacturing Site	v	Veight*	UOM	Unit Type
NC	P781BMN033TAG 150V, 100mA VH wettable flanks		IV LDO ADJ 3.3V HZ no	on 2024-	-05-16	MY1		<b>I</b> Y1	2	2.24	mg	Each
Manufacturing Proccess Information												
Terminal Plating / Grid Array Material	Terminal Base A	-STD-020 MSL Rating	F	Peak Process Body Temperature Max Time at Peal			Temperature Number of Reflow Cycles					
Matte Tin (Sn) - annealed CU Alloy 1		l	2	60		С	30	second	ls 3			
Comments												
level 1 - maximum time at peak temperature duri	ng soldering is 10-30	) seconds										
For more information regarding material composition	ition please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	rial Weight Unit of Measure Level Substance		Substance	CAS	Exempt	Weight	Unit of Measure		
Die	0.92	mg	Supplier	Silicon (Si)	7440-21-3		0.92	mg	
Die Attach	0.16	mg	Supplier	Silver (Ag)	7440-22-4		0.1224	mg	
			Supplier	Epoxy resins	129915-35-1		0.0376	mg	
Lead Frame 5	5.86	mg	Supplier	Silver (Ag)	7440-22-4		0.1172	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.007	mg	
			Supplier	Iron (Fe)	7439-89-6		0.1377	mg	
			Supplier	Copper (Cu)	7440-50-8		5.5963	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0018	mg	
Mold Compound-Black	14.8	mg		Epoxy resin	proprietary data		1.11	mg	
			Supplier	Phenolic Resin	Proprietary Data		0.37	mg	
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1.11	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.074	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		12.136	mg	
Plating	0.38	mg	Supplier	Tin (Sn)	7440-31-5		0.38	mg	
Wire Bond - Au	0.12	mg	Supplier	Gold (Au)	7440-57-5		0.12	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).