ASSOCIATION CONNECT	Material Composit © Copyright 2005. IPC, international and Pan-Ar	Bannockb	urn, Illinois. A	Il rights reserved untions.	under both This level	documer l parts, th	nt is a declarat	ion of the spencompasse	ubstances s all lower	within the manufactu r level materials for w	rer listed	item. Note: i manufacturer	f the item is an as has engineering	sembly with lower responsibility.	
1752-21.1					Form Type * Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					ials and N	als and Mfg Information			
Supplier Infor	mation														
Company name*			Company unique ID			U	Unique ID Authority					Response Date*			
onsemi											2024-0	2024-05-12			
Contact Name			Title - Contact			P	Phone - Contact*				Email ·	Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance			I	NA				Product-Env-Stewards@onsemi.com				
Authorized Repres	sentative*		Title - Representative			P	Phone - Representative*			Email - Representative*					
Product-Env-Stewards			Product Enviro Compliance			I	NA				Product-Env-Stewards@onsemi.com				
Reques	Requester Item Number Mfr Item		n Number Mfr Item Name				Effective Date	Version	N	Manufacturing Site		Weight*	UOM	Unit Type	
		PCA9654EDR2G 8-bit I		8-bit I/O Expande	3-bit I/O Expander for I2C Bus and SMBus		2024-05-12		P	PH1		142.69	mg	Each	
Manufacturing	g Proccess Information	1							· · ·						
Terminal Plating / Grid Array Material Terminal			erminal Base	e Alloy J-STD-020 MSL Rating			Peak Process Body Temperature Max Time at Peak			Temperature Number of Reflow Cycles					
Matte Tin (Sn) - annealed CU Alloy				1		260		С	30	seco	nds 3				
Comments															
evel 1 - maximum	time at peak temperature of	luring sol	dering is 10-3	0 seconds											
or more informa	tion regarding material con	position <b>j</b>	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth						
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).										
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	2.73	mg	Supplier	Silicon (Si)	7440-21-3		2.73	mg		
Die Attach	4.85	mg	Supplier	Silver (Ag)	7440-22-4		3.6375	mg		
			Supplier	Epoxy resins	129915-35-1		1.2125	mg		
Lead Frame	75.92	mg	Supplier	Silver (Ag)	7440-22-4		0.7592	mg		
			Supplier	Zinc (Zn)	7440-66-6		0.1518	mg		
			Supplier	Iron (Fe)	7439-89-6		1.9739	mg		
			Supplier	Copper (Cu)	7440-50-8		73.035	mg		
Mold Compound-Black	55.11	mg		Epoxy Phenol Resin	proprietary data		5.7866	mg		
			Supplier	Fused Silica (SiO2)	60676-86-0		49.3234	mg		
Plating	3.73	mg	Supplier	Tin (Sn)	7440-31-5		3.73	mg		
Wire Bond - Au	0.35	mg	Supplier	Gold (Au)	7440-57-5		0.35	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signar range of distribution unless otherwise noted)