| ASSOCIATION CONNECTING ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® international and Par | PC. Bannockl | burn, Illinois, A | Il rights reserved untions. | under both | This docume level parts, t | ent is a declarati the declaration e | on of the su | bstances v s all lower | vithin the manufactu level materials for v | rer listed i which the r | tem. Note: nanufacture | if the item is an as er has engineering | sembly with low responsibility. | |
|--|---------------|---------------------------|-----------------------------|-------------------------|-------------------------------|---|----------------------------|----------------------------|---|---------------------------------|---------------------------|--|---------------------------------|--|
| | | | | Form Type Distribute | * | Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information | | | | | tion | | | |
| upplier Information | | | | | | | | | | | | | | |
| Company name* Compa | | | ompany unique ID | | | Unique ID Authority | | | | Respon | Response Date* | | | |
| nsemi | | | | | | | , | | | | 2024-05-09 | | | |
| ntact Name Title - Contact | | | ct | | Phone - Contact* | | | | Email - | Email - Contact* | | | | |
| Product-Env-Stewards Product Env | | | viro Compliance | | | NA | | | | Product-Env-Stewards@onsemi.com | | | | |
| Authorized Representative* Title - Representative | | | esentative | | | Phone - Representative* | | | | Email - Representative* | | | | |
| Product-Env-Stewards Product E | | | luct Enviro Compliance | | | NA | | | | Product-Env-Stewards@onsemi.com | | | | |
| Requester Item Number | Mfr Iten | n Number | Mfr Item Name | | | Effective Date | Version | Version Manufacturing Site | | | Weight* | UOM | Unit Type | |
| | SZ1SM/ | ZISMA5942BT3G ZEN SMA REG | | 1.5W 51V TR | | 2024-05-09 | | V | VN5 | | 76.66 | mg | Each | |
| Ianufacturing Proccess Informa | tion | | | | | | - | · | | | | | | |
| Terminal Plating / Grid Array Ma | aterial | erial Terminal Base Al | | J-STD-020 MSL Rating | | Peak Proce | Peak Process Body Temperat | | ure Max Time at Peak Temp | | ture Num | ber of Reflow Cyc | les | |
| Matte Tin (Sn) - annealed CU Alloy | | CU Alloy | | 1 | | 260 | | С | 30 | secor | ids 3 | | | |
| omments | | | | | | | | | | | | | | |
| vel 1 - maximum time at peak temperatu | ire during so | ldering is 10-3 | 0 seconds | | | | | | | | | | | |
| or more information regarding material | composition | please refer to | page 3 | | | | | | | | | | | |

| RoHS Material Composition Declaration | | | | Declaration Type * | Detailed | | | | |
|--|--|--|---|---|---|--|--|--|--|
| Directive 2015/863/EU amending RoHS Directive 2011/65/EU | | mium (Cr6+), Polybrominated Biphenyls (Pl | | dmium and quantity limit of 0.1% by mass (10 minated Diphenyl Ethers (PBDE), and Bis(2-et | | | | | |
| cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company | ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the | henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg | nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co | e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica | ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of | | | | |
| RoHS Declaration * 4 - Item(| s) does not contain RoHS restricted subst | ances per the definition above except for sele | ected exempt | ions Supplier Acceptance | * Accepted | | | | |
| Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead). | | | | | | | | | |
| Exemption List Version | EL-2011/534/EU | | | | | | | | |
| Declaration Signature | | | | | | | | | |
| Instructions: Complete all of the required Requester) and click on Submit Form to h | | | e drop-dowi | a. This will display the signature area. Digita | lly sign the declaration (if required by the | | | | |
| Supplier Digital Signature | astislav Drska | Le | | | | | | | |

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| Homogeneous Material | Weight | Unit of Measure | Level | Substance | CAS | Exempt | Weight | Unit of Measure |
|----------------------|--------|-----------------|----------|------------------------------|------------|--------|---------|-----------------|
| Clip | 7.0 | mg | Supplier | Zinc (Zn) | 7440-66-6 | | 0.014 | mg |
| | | | В | Nickel (Ni) | 7440-02-0 | | 0.0252 | mg |
| | | | Supplier | Iron (Fe) | 7439-89-6 | | 0.1778 | mg |
| | | | Supplier | Copper (Cu) | 7440-50-8 | | 6.7725 | mg |
| | | | Supplier | Phosphorus (P) | 7723-14-0 | | 0.0105 | mg |
| Die | 1.12 | mg | Supplier | Silicon (Si) | 7440-21-3 | | 1.12 | mg |
| Die Attach Solder | 3.45 | mg | Supplier | Silver (Ag) | 7440-22-4 | | 0.0862 | mg |
| | | | А | Lead (Pb) | 7439-92-1 | 7a | 3.1913 | mg |
| | | | Supplier | Tin (Sn) | 7440-31-5 | | 0.1725 | mg |
| Lead Frame | 28.84 | mg | Supplier | Zinc (Zn) | 7440-66-6 | | 0.0346 | mg |
| | | | Supplier | Iron (Fe) | 7439-89-6 | | 0.6922 | mg |
| | | | Supplier | Copper (Cu) | 7440-50-8 | | 28.0902 | mg |
| | | | Supplier | Phosphorus (P) | 7723-14-0 | | 0.0231 | mg |
| Mold Compound-Black | 34.87 | mg | Supplier | Ortho Cresol Novolac Resin | 29690-82-2 | | 3.487 | mg |
| | | | Supplier | Carbon Black (C) | 1333-86-4 | | 0.1743 | mg |
| | | | Supplier | Aluminum Hydroxide (Al(OH)3) | 21645-51-2 | | 5.0561 | mg |
| | | | Supplier | Fused Silica (SiO2) | 60676-86-0 | | 22.6655 | mg |
| | | | Supplier | Phenolic Resin (Novolac) | 9003-35-4 | | 3.487 | mg |
| Plating | 1.38 | mg | Supplier | Tin (Sn) | 7440-31-5 | | 1.38 | mg |