ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES OF INTERNATION AND AND AND AND AND AND AND AND AND AN	position Dec IPC, Bannockb an-American co	c laration ourn, Illinois. A opyright conver	ll rights reserved untions.	under both	This docume level parts, t	ent is a declarati he declaration e	on of the substance ncompasses all low	es within the manufact ver level materials for	urer listed which the	item. Note: if manufacturer	the item is an as has engineering	ssembly with lower responsibility.	
				Form Type Distribute	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				rials and N	als and Mfg Information			
Supplier Information													
Company name*	Company uni	Company unique ID			Unique ID Authority				Response Date*				
onsemi										2025-06-05			
Contact Name Title - Contact			et	J		Phone - Contact*			Email	Email - Contact*			
Product-Env-Stewards Prod			Product Enviro Compliance			NA			Produ	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Repr			presentative			Phone - Representative*			Email ·	Email - Representative*			
Product-Env-Stewards	Product Enviro Compliance				NA			Produ	Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Number		Imber Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	1N4936					2025-06-05				250.82	mg	Each	
Manufacturing Proccess Inform	ation						-						
Terminal Plating / Grid Array M	Terminal Plating / Grid Array Material Terminal		inal Base Alloy J-STD-020 MSL R		L Rating	Peak Process Body Temperature Max 7		ture Max Time at Pea	k Tempera	ture Numb	er of Reflow Cyc	cles	
	C	CU Alloy					С	30	seco	nds 3			
Comments													
For more information regarding materia	l composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chro	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).									
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on informationprovided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, itsuppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and/conditions of Sale applicable to such part, the laws and/or remedies of Supplier's Standard Terms andConditions of Sale											
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).								
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.											
Supplier Digital Signature	astislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

	cable [E] enter the weigh			ance category (JIG or Requester) or enter a [F] Optionally enter the positive (+) and n				
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.18	mg	Supplier	Silicon (Si)	7440-21-3		0.18	mg
Die Attach Solder	7.98	mg	Supplier	Silver (Ag)	7440-22-4		0.1995	mg
			А	Lead (Pb)	7439-92-1	7a	7.3815	mg
			Supplier	Tin (Sn)	7440-31-5		0.399	mg
Lead Frame	125.08	mg	Supplier	Copper (Cu)	7440-50-8		125.08	mg
Mold Compound-Black	116.8	mg		Metal Hydroxide	proprietary data		5.84	mg
			Supplier	Carbon Black (C)	1333-86-4		1.168	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		87.6	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		11.68	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		10.512	mg
Plating	0.78	mg	Supplier	Tin (Sn)	7440-31-5		0.78	mg