IPC ASSOCIATION ELECTRONIC	© Copyright 2005.	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			nder both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.								
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				s Materials ar	ials and Mfg Information			
upplier	r Information													
Company name* Company unique				que ID U		Unique ID Authority				Response Date*				
onsemi											2025-06-07			
ontact N	ame	Title - Contact			P	Phone - Contact*				Email - Contact*				
Product-F	Env-Stewards	Product Enviro Compliance			1	NA				Product-Env-Stewards@onsemi.com				
uthorize	d Representative*	Title - Representative			P	Phone - Representative*			Em	Email - Representative*				
roduct-F	Env-Stewards	Product Env	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Item Number Mfr Item Nam		em Number Mfr Item Name				Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
			REC AXIAL 3A 2	A 200V STD TR		2025-06-07 CNP		CNP	1334.62		mg	Each		
lanufa	cturing Process Informa		Farminal Daga	Allow	-STD-020 MS	I. Dating	Dools Duogo	a Dody Tamman	ture May Time	at Dook Town	Numb	on of Doflow Cv	olog	
	3 · · · · · · · · · · · · · · · · · · ·		Terminal Base Alloy J-STD- CU Allov NA			L Kanng	Peak Process Body Temperature Max Time a		Γ΄	Peak Temperature Number of Reflow Cyc seconds 3		cies		
omments	` ′		CO Alloy		IA.		U		30	S	econus 3			
Jimments	)													
	information regarding materia	1	. 1											

<b>RoHS Material Composition Declaration</b>			Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU  RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on informationprovided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this for										
RoHS Declaration * 4 - Item(s	s) does not contain RoHS restricted substance	ces per the definition above except for selected exer	nptions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).  Exemption: 7c-I Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.										
Supplier Digital Signature R		,								

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	6.67	mg	Supplier	Silicon (Si)	7440-21-3		6.2331	mg
			В	Nickel (Ni)	7440-02-0		0.0767	mg
			Supplier	Lead Bisilicate	65997-18-4	7c	0.3602	mg
Die Attach Solder	46.69		Supplier	Silver (Ag)	7440-22-4		1.1673	mg
			A	Lead (Pb)	7439-92-1	7a	43.1882	mg
			Supplier	Tin (Sn)	7440-31-5		2.3345	mg
Lead Frame	731.48	mg	Supplier	Copper (Cu)	7440-50-8		731.48	mg
Mold Compound-Black	543.33			Metal Hydroxide	proprietary data		27.1665	mg
			Supplier	Carbon Black (C)	1333-86-4		5.4333	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		407.4975	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		54.333	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		48.8997	mg
Plating	6.45	mg	Supplier	Tin (Sn)	7440-31-5		6.45	mg