	© Copyright 2005. IPC, Bannockburn, Illinois. All rights reserve international and Pan-American copyright conventions.			All rights reserved u ntions.	nder both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ous Materia	als and Mfg Information				
upplier	r Information														
Company name* Company u				unique ID			Unique ID Authority					Response Date*			
nsemi												2024-05-04			
ontact N	ame	Title - Contact]	Phone - Contact*					Email - Contact*				
Product-H	Env-Stewards		Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com			
uthorize	d Representative*	Title - Representative]	Phone - Representative*				Email - Representative*					
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Item Number 2N3904BU		n Number Mfr Item Name				Effective Date	e Versio	on	Manufacturing Site		v	Veight*	UOM	Unit Type
			BU	NPN/40V/0.2A/100-300			2024-05-04 CNF			223.092		mg	Each		
Ianufa	cturing Proccess Informa	tion													
	Terminal Plating / Grid Array Material			Ferminal Base Alloy J-STD-020 MS		L Rating	Peak Process Body Temperate		ure Max Time at Peak Temper		Temperatu	ire Numb	per of Reflow Cyc	eles	
Matte Tin (Sn) - annealed (CU Alloy NA			0 C		30 seco		second	ls 3					
omments															
or more i	information regarding material	composition	please refer to	o page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed								
Directive 2015/863/EU amending RoHS Directive 2011/65/EU													
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ess of the applicable quantity limit identified about the may apply. If the part is an assembly with low is accuracy and that such information is true and ce of its products with European Union member we independently verified such information. How	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of								
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all								
Exemption List Version	EL-2011/534/EU												
Declaration Signature													
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the								
Supplier Digital Signature Ra	stislav Drska	Le											

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless	otherwise noted).							
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.075	mg	Supplier	Silicon (Si)	7440-21-3		0.075	mg
Lead Frame	101.001	mg	Supplier	Silver (Ag)	7440-22-4		1.01	mg
			Supplier	Manganese (Mn)	7439-96-5		0.505	mg
			В	Nickel (Ni)	7440-02-0		0.182	mg
			Supplier	Iron (Fe)	7439-89-6		98.4	mg
			Supplier	Copper (Cu)	7440-50-8		0.904	mg
Mold Compound-Black	112.0	mg	Supplier	2,6-dibromo-4-[1-(3-bromo-4- hydroxyphenyl)-1-methylethyl]phenol	6386-73-8		3.36	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		22.4	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		2.8	mg
			Supplier	Carbon Black (C)	1333-86-4		0.84	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		82.6	mg
Plating	9.94	mg	Supplier	Tin (Sn)	7440-31-5		9.94	mg
Wire Bond - Au	0.076	mg	Supplier	Gold (Au)	7440-57-5		0.076	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).