IPC ASSOCIATION ELECTRONICS	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.					This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.											
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater						rials and Mi	ials and Mfg Information				
upplier	Information																
Company	name*	Company unique ID			Ţ	Unique ID Authority					Respons	Response Date*					
nsemi													2025-07-01				
Contact N	ame	Title - Contact			I	Phone - Contact*					Email - Contact*						
Product-E	Env-Stewards	Product Enviro Compliance			1	NA					Product-Env-Stewards@onsemi.com						
uthorized	l Representative*	Title - Representative			I	Phone - Representative*					Email - Representative*						
Product-E	inv-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com							
	Requester Item Number	equester Item Number Mfr Item		n Number Mfr Item Name			Effective Date 2025-07-01		Version Manufa		Ianufacturing Site		Veigh	nt*	UOM	Unit Type	
		ARRAYRDM- 0112A20-OFN-TR			2, 20um, QFN				TWU		2	247.117		mg	Each		
Ianufac	cturing Proccess Information	n															
	erminal Plating / Grid Array Material		Terminal Base Alloy J-		J-STD-020 MS	020 MSL Rating		Peak Process Body Temperatur		re Max Time at Peak Tempe		k Temperati	ıre	Number of Reflow Cycles		les	
	Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 4		4				С	30		secon		s <b>3</b>			
omments					<u> </u>											<u>.</u>	
'or more i	nformation regarding material co	mposition	please refer to	page 3													

RoHS Material Composition Declaration			Declaration Type *	Detail	ed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU  RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of						
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the						

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	27.663	mg	Supplier	Silicon (Si)	7440-21-3		27.663	mg	
Glass Attach Epoxy	0.837	mg	Supplier	4-Thiophenyl phenyl diphenyl sulfonium hexafluoroantimonate	71449-78-0		0.0042	mg	
			Supplier	3,4-EPOXYCYCLOHEXYLMETHYL	2386-87-0		0.8328	mg	
Imaging Lens	23.684	mg	Supplier	Titanium Dioxide (TiO2)	13463-67-7		1.1842	mg	
			Supplier	Sodium Monoxide (Na2O)	1313-59-3		1.1842	mg	
			Supplier	Boron Trioxide (B2O3)	1303-86-2		1.1842	mg	
			Supplier	Zinc Monoxide (ZnO)	1314-13-2		1.1842	mg	
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.1184	mg	
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		1.1842	mg	
			Supplier	Potassium Monoxide (K2O)	12136-45-7		1.1842	mg	
			Supplier	Silica Crystalline (SiO2)	14808-60-7		16.4604	mg	
Laminate Tape	27.038	mg		Epoxy resin	proprietary data		2.7038	mg	
			Supplier	Phenol Resin	Proprietary Data		2.7038	mg	
			Supplier	Acrylic Copolymer	Proprietary Data		18.9266	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		2.7038	mg	
Lead Frame	75.901	mg	Supplier	Zinc (Zn)	7440-66-6		0.0911	mg	
			Supplier	Iron (Fe)	7439-89-6		1.7837	mg	
			Supplier	Copper (Cu)	7440-50-8		74.0035	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0228	mg	
Mold Compound-Black	90.726	mg	Supplier	Carbon Black (C)	1333-86-4		0.4536	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		79.8389	mg	
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		5.8972	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		4.5363	mg	
Plating	1.045	mg	Supplier	Palladium (Pd)	7440-05-3		0.0448	mg	
			В	Nickel (Ni)	7440-02-0		0.9853	mg	
			Supplier	Gold (Au)	7440-57-5		0.0148	mg	
Wire Bond - Au	0.223	mg	Supplier	Gold (Au)	7440-57-5		0.223	mg	