ASSOCIATION	CONNECTING CS INDUSTRIES® MALETING CS INDUSTRIES® MALETIAL COMP	<b>osition Dec</b> PC, Bannockb n-American co	c <b>laration</b> ourn, Illinois. A opyright conve	All rights reserved u ntions.	nder both	This docume level parts, t	ent is a declaration	tion of the tion o	he substances asses all low	s within the er level ma	e manufactur terials for wi	er listed i hich the n	tem. Note: it nanufacturer	f the item is an as has engineering	ssembly with low responsibility.
752-21.1	IPC Web Site for Information on IPC-1752 Standard     Form Typ       http://www.ipc.org/IPC-175x     Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					eous Materi	als and Mfg Information				
upplie	r Information														
ompany	name*	Company unique ID			1	Unique ID Authority					Response Date*				
nsemi												2025-06-07			
ontact N	lame		Title - Contact			]	Phone - Contact*					Email - Contact*			
Product-l	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
uthorize	ed Representative*		Title - Representative			]	Phone - Representative*				Email - Representative*				
roduct-l	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Item I   BD136165		n Number Mfr Item Name				Effective Date	e Vers	Version Manufacturing Site			Weight*	UOM	Unit Type	
			5STU	TU PNP/1.5A/45V TO-126			2025-06-07	06-07 CP8		:	836.828	mg	Each		
Ianufa	cturing Proccess Informa	tion					•					ľ			
	Terminal Plating / Grid Array Material		Ferminal Base Alloy J-STD-020 MS		L Rating	Peak Process Body Temperat		ure Max Time at Peak Temp		Temperat	ure Numb	er of Reflow Cyc	cles		
Matte Tin (Sn) - annealed		CU Alloy NA			0 C		30 seco		secon	ds 3					
omments	3														
or more	information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU												
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

signia range of distribution unless otherwise noted).										
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	0.38	mg	Supplier	Silicon (Si)	7440-21-3		0.38	mg		
Lead Frame	362.5	mg	Supplier	Iron (Fe)	7439-89-6		0.3625	mg		
			Supplier	Copper (Cu)	7440-50-8		362.0287	mg		
			Supplier	Phosphorus (P)	7723-14-0		0.1087	mg		
Mold Compound-Black	461.72	mg	Supplier	2,6-dibromo-4-[1-(3-bromo-4- hydroxyphenyl)-1-methylethyl]phenol	6386-73-8		1.3852	mg		
			В	Antimony Trioxide (Sb2O3)	1309-64-4		4.6172	mg		
			Supplier	Carbon Black (C)	1333-86-4		5.5406	mg		
			Supplier	Fused Silica (SiO2)	60676-86-0		78.4924	mg		
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		55.4064	mg		
			Supplier	Silica (SiO2)	14464-46-1		2.3086	mg		
			Supplier	Phenolic Resin (Novolac)	9003-35-4		36.9376	mg		
			Supplier	Silica Crystalline (SiO2)	14808-60-7		277.032	mg		
Plating	12.12	mg	Supplier	Tin (Sn)	7440-31-5		12.12	mg		
Wire Bond - Au	0.108	mg	Supplier	Gold (Au)	7440-57-5		0.108	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).