ASSOCIATION CONNECTING LECTROMICS INDUSTRIES® International and Pa	IPC. Bannockl	burn. Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a declarati the declaration e	on of the su	bstances v s all lower	vithin the manufactu level materials for v	rer listed which the r	tem. Note: nanufacture	if the item is an as er has engineering	sembly with low responsibility.	
			Form Type Distribute					ials and N	ials and Mfg Information					
Supplier Information														
Company name* Compan			pany unique ID			Unique ID Authority				Respon	Response Date*			
onsemi											2025-05-12			
Contact Name Title - Contact			ct	PI			Phone - Contact*				Email - Contact*			
Product-Env-Stewards Product Env			nviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Repr			presentative			Phone - Representative*			Email -	Email - Representative*				
Product-Env-Stewards Produ			Product Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com			
Requester Item Number	Requester Item Number Mfr Item		n Number Mfr Item Name			Effective Date	Date Version Manufacturing Site			Weight*	UOM	Unit Type		
	BSS138	BSS138W FET 50V 3.5 mOh		hm SOT323		2025-05-12		К	KR3		5.452	mg	Each	
Anufacturing Proccess Inform	ation						-	·						
Terminal Plating / Grid Array M	Iaterial 7	rial Terminal Base Alloy		J-STD-020 MSI) MSL Rating Pea		ak Process Body Temperature Max Time at Peak		k Tempera	ture Num	ber of Reflow Cyc	eles		
Matte Tin (Sn) - annealed CU Alloy		CU Alloy		1		260		С	30	seco	nds 3			
omments														
vel 1 - maximum time at peak tempera	ture during so	Idering is 10-3	0 seconds											
or more information regarding materia	l composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chror	Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead lercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl te (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ess of the applicable quantity limit identified about the may apply. If the part is an assembly with low is accuracy and that such information is true and ce of its products with European Union member we independently verified such information. How	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.												
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.												
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.231	mg	Supplier	Silicon (Si)	7440-21-3		0.231	mg	
Lead Frame	1.294	mg	Supplier	Silver (Ag)	7440-22-4		0.0259	mg	
			В	Nickel (Ni)	7440-02-0		0.4697	mg	
			Supplier	Iron (Fe)	7439-89-6		0.6496	mg	
			Supplier	Copper (Cu)	7440-50-8		0.1488	mg	
Mold Compound-Black	3.685	mg		Proprietary	proprietary data		0.1842	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0184	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		2.7453	mg	
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.5527	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.1842	mg	
Plating	0.227	mg	Supplier	Tin (Sn)	7440-31-5		0.227	mg	
Wire Bond - Au	0.015	mg	Supplier	Gold (Au)	7440-57-5		0.015	mg	