IPC ASSOCIATION ELECTRONIC	© Copyright 2005.	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			nder both le	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lowe level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1					Form Type * Distribute	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and Mfg Information				
upplier	r Information														
Company name*				Company unique ID			Unique ID Authority					Response Date*			
nsemi												2025-07-13			
Contact N	ame		Title - Contact			P	Phone - Contact*				Email - Contact*				
?roduct-I	Env-Stewards		Product Enviro Compliance			1	NA				Product-Env-Stewards@onsemi.com				
uthorize	d Representative*	Title - Representative			P	Phone - Representative*				Email - Representative*					
roduct-I	Env-Stewards		Product Enviro Compliance			1	NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr I		tem Number Mfr Item Name				Effective Date	e Ver	rsion	Manufacturing Site		W	eight*	UOM	Unit Type
		СРН391	0-TL-E	NCH J-FET			2025-07-13					12	.38	mg	Each
Ianufa	cturing Proccess Inform	ation													
	Terminal Plating / Grid Array Material		Terminal Base Alloy J-STD		J-STD-020 MSL I	Rating	Peak Process Body Temp		ody Temperatu	rature Max Time at Peak T		Temperatur	e Numl	ber of Reflow Cyc	les
contains Bi		CU Alloy 1			260		С	30		seconds	3				
mments															
<u>vel 1 - m</u>	aximum time at peak tempera	ture during sol	dering is 10-3	30 seconds											
or more i	information regarding materia	al composition	please refer t	o page 3											

RoHS Material Composition Declaration			Declaration Type *	Detail	ed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		ium (Cr6+), Polybrominated Biphenyls (PB)	erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a						
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of				
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted				
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.									
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the				

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.08	mg	Supplier	Silicon (Si)	7440-21-3		0.08	mg
Lead Frame	5.21	mg	Supplier	Silver (Ag)	7440-22-4		0.1386	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0099	mg
			В	Nickel (Ni)	7440-02-0		0.0234	mg
			Supplier	Iron (Fe)	7439-89-6		0.1313	mg
			Supplier	Copper (Cu)	7440-50-8		4.8995	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0073	mg
Mold Compound-Black	6.86	mg	Supplier	Phenol, polymer with 1,4-bis(methoxymethyl)benzene	26834-02-6		0.343	mg
			Supplier	Brominated Epoxy Resin-2	68541-56-0		0.0274	mg
			Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		0.1441	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.1029	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0343	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		5.831	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.343	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		0.0343	mg
Plating	0.21	mg	В	Bismuth (Bi)	7440-69-9		0.0013	mg
			Supplier	Tin (Sn)	7440-31-5		0.2087	mg
Wire Bond - Au	0.02	mg	Supplier	Gold (Au)	7440-57-5		0.02	mg