<b>PC</b> SOCIATION CONNECTING COPyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
	-21.1 IPC Web Site for Information on IPC-1752 Standard Form Distri				e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				ials and N	als and Mfg Information				
Supplier Information														
Company name* Co			Company unique ID			Unique ID Authority					Response Date*			
onsemi										2025-07-12				
Contact Name Title - Contact			ct		Phone - Contact*				Email - Contact*					
Product-Env-Stewards Product Envir			nviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representative			presentative			Phone - Representative*			Email - Representative*					
Product-Env-Stewards Product			Product Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com			
Requester Item Number	ester Item Number Mfr Item Num		umber Mfr Item Name			Effective Date	Version	N	Manufacturing Site		Weight*	UOM	Unit Type	
	DTC143	DTC143EM3T5G SOT-723 BIAS I		ESISTOR TRA		2025-07-12 C		CN1		1.275	mg	Each		
Manufacturing Proccess Informat	ion						-	·						
Terminal Plating / Grid Array Mat	Terminal Plating / Grid Array Material Terminal Base Alloy		Alloy	J-STD-020 MSL	Rating	Peak Proc	ess Body Te	emperatu	re Max Time at Peak	Tempera	ture Numb	per of Reflow Cy	cles	
Matte Tin (Sn) - annealed CU Alloy			1		260		С	30	seco	nds 3				
Comments														
level 1 - maximum time at peak temperatur	e during sol	dering is 10-3	0 seconds											
For more information regarding material c	omposition	please refer to	o page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ess of the applicable quantity limit identified about the may apply. If the part is an assembly with low is accuracy and that such information is true and ce of its products with European Union member we independently verified such information. How	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.13	mg	Supplier	Silicon (Si)	7440-21-3		0.13	mg	
Lead Frame	0.28	mg	Supplier	Silver (Ag)	7440-22-4		0.0255	mg	
			В	Nickel (Ni)	7440-02-0		0.103	mg	
			Supplier	Iron (Fe)	7439-89-6		0.1414	mg	
			Supplier	Copper (Cu)	7440-50-8		0.0101	mg	
Mold Compound-Black	0.86	mg	Supplier	Boron zinc hydroxide oxide	138265-88-0		0.0258	mg	
			Supplier	Zinc Monoxide (ZnO)	1314-13-2		0.0043	mg	
			Supplier	2,4,6-triamino-s-triazincompd.withs- triazine-triol	37640-57-6		0.0258	mg	
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.688	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0086	mg	
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.0688	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0387	mg	
Plating	0.003	mg	Supplier	Tin (Sn)	7440-31-5		0.003	mg	
Wire Bond - Cu	0.002	mg	Supplier	Copper (Cu)	7440-50-8		0.002	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).