ABSOCIATION CONNECTING LECTRONICS INDUSTRIES® International and Pan-American co	urn. Illinois. All rights reserved un	der both This docum level parts,	the declaration end	n of the substance compasses all low	es within the manufacture er level materials for wh	er listed item. Note: if hich the manufacturer	the item is an as has engineering	sembly with lower responsibility.		
IPC Web Site for Information on I http://www.ipc.org/IPC-175x	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information						
Supplier Information										
Company name*		Unique ID Authority			Response Date*					
onsemi						2025-06-07				
Contact Name	Name Title - Contact			Phone - Contact*			Email - Contact*			
Product-Env-Stewards Product Enviro Compliance			NA			Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representative			Phone - Representative*			Email - Representative*				
Product-Env-Stewards	Product Enviro Compliance	o Compliance		NA			Product-Env-Stewards@onsemi.com			
Requester Item Number Mfr Item	Number Mfr Item Name	Mfr Item Name		Version	Manufacturing Site	Weight*	UOM	Unit Type		
ES1H	UFR SMA PN 1A	500V	2025-06-07		PANJITFG	67.9	mg	Each		
Manufacturing Proccess Information										
Terminal Plating / Grid Array Material T	Terminal Plating / Grid Array Material Terminal Base Alloy J-STD		Peak Proces	s Body Temperat	ure Max Time at Peak	Temperature Number	er of Reflow Cyc	cles		
Matte Tin (Sn) - annealed CU Alloy 1			260	С	30	seconds 3				
Comments										
evel 1 - maximum time at peak temperature during sol	dering is 10-30 seconds									
For more information regarding material composition	please refer to page 3									

RoHS Material Composition Declar	ation			Declaration Type *	Detailed
Directive 2015/863/EU amending Rol Directive 2011/65/EU	(Pb), Mercury (Hg), Hexav		ninated Biphenyls (PBB), Polybror	dmium and quantity limit of 0.1% by mass (100 ninated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polyb contains a RoHS restricted substance i encompass all such components.Suppl as of the date that Supplier completes Company acknowledges that Supplier independently verified information pro- certification in this paragraph.If the Co	rominated biphenyls and/or polybror nexcess of an applicable quantity lim ier certifies that it gathered the inforr this form.Supplier acknowledges that may have relied on informationprovi ovided by others, Supplier agrees that ompany and the Supplier enter into a clusivesource of the Supplier's liabili	ninated diphenyl ethers (each a "R it, please indicate below which, if nation it provides in this form usin Company will rely on this certifud ded by others in completing this f , at a minimum, itssuppliers have written agreement with respect to ty and the Company's remedies for	toHS restricted substance") in exce any, RoHS exemption you believe ag appropriate methods to ensure it cation in determining the complian orm, and that Supplier may not hav provided certifications regarding th the identified part,the terms and co or issues that arise regarding inform	ropean Union member states) of the part identifies so of the applicable quantity limit identified about may apply. If the part is an assembly with lows a accuracy and that such information is true and ce of its products with European Union member re independently verified such information. How heir contributions to the part, and those certifica motions of that agreement, including any warra nation the Supplier provides in this form. In the	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the inty rights and/or remedies provided as part of
RoHS Declaration * 4	- Item(s) does not contain RoHS restr	icted substances per the definition	above except for selected exempti	ons Supplier Acceptance	* Accepted
Exemption: 7a: Lead in high meltin Exemption: 7c-I Electrical and elect	g temperature type solders (i.e. lead ronic components containing lead i	l based solder alloys containing n a glass or ceramic other than	85% by weight or more lead). dielectric ceramic in capacitors, o	e.g. piezoelectronic devices, or in a glass or ce	eramic matrix compound.
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the rec Requester) and click on Submit For			Supplier Acceptance drop-down	. This will display the signature area. Digital	ly sign the declaration (if required by the
Supplier Digital Signature	Rastislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.764	mg	Supplier	Silicon (Si)	7440-21-3		0.6876	mg	
			В	Nickel (Ni)	7440-02-0		0.005	mg	
			Supplier	Gold (Au)	7440-57-5		0.0011	mg	
			Supplier	Lead Bisilicate	65997-18-4	7c	0.0703	mg	
Die Attach Solder	2.25	mg	Supplier	Silver (Ag)	7440-22-4		0.0563	mg	
			А	Lead (Pb)	7439-92-1	7a	2.0812	mg	
			Supplier	Tin (Sn)	7440-31-5		0.1125	mg	
Lead Frame	27.5903	mg	Supplier	Iron (Fe)	7439-89-6		0.0331	mg	
			Supplier	Copper (Cu)	7440-50-8		27.5489	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0083	mg	
Mold Compound-Black	36.69	mg		Metal Hydroxide	proprietary data		1.2842	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		2.9352	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.1834	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		29.352	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		2.9352	mg	
Plating	0.6057	mg	Supplier	Tin (Sn)	7440-31-5		0.6057	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).