	Material Composit © Copyright 2005. IPC, I international and Pan-Am	Bannockbi	urn, Illinois. A	Il rights reserved untions.	under both	This docum level parts, 1	ent is a decla he declaratio	ration of on encom	the substances	s within the manufactu er level materials for w	rer listed	item. Note: if manufacturer l	the item is an a has engineering	ssembly with lower responsibility.	
1752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Ty http://www.ipc.org/IPC-175x Distribut				* Declaration Class * Class 6 - RoHS Yes/No. Homogeneous Mater					ials and Mfg Information				
Supplier Inf	formation														
Company name	e*	Company unique ID			Unique ID Authority				Respon	Response Date*					
onsemi											2025-0	2025-05-13			
Contact Name			Title - Contact			Phone - Contact*				Email ·	Email - Contact*				
Product-Env-S	Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Authorized Rep	presentative*	Title - Representative			Phone - Representative*			Email - Representative*							
Product-Env-Stewards			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
Req	quester Item Number	Mfr Item	Number Mfr Item Name				Effective D	ate Vei	rsion	Manufacturing Site		Weight*	UOM	Unit Type	
	FAN54120UC435X		500mA USB Compatible Single Cell Li-Ion Linear Charger with 4.35V float voltage - WLCSP package			2025-05-13			MY1		1.307134	mg	Each		
Manufactur	ring Proccess Information	I													
Term	Terminal Plating / Grid Array Material Te			erminal Base Alloy J-STD-020 MS		Rating	Peak Process Body Temperature Max		ure Max Time at Peak	k Temperature Number of Reflow Cycles		cles			
SnAgCu CU Alloy					1		260		С	30	seco	nds 3			
Comments															
level 1 - maxim	um time at peak temperature d	uring sole	dering is 10-3	0 seconds											
For more inform	mation regarding material com	position p	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Backside Protection Film	0.043928	mg		Epoxy resin	proprietary data		0.0092	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0008	mg
			Supplier	Acrylic resins	Proprietary Data		0.0092	mg
			Supplier	Silica (SiO2)	14464-46-1		0.0247	mg
Die	0.850126	mg	Supplier	Silicon (Si)	7440-21-3		0.8501	mg
Protection coat	8.0E-6	mg		Polyimide	proprietary data		0	mg
Solder Ball	0.410608	mg	Supplier	Silver (Ag)	7440-22-4		0.0164	mg
			Supplier	Tin (Sn)	7440-31-5		0.3921	mg
			Supplier	Copper (Cu)	7440-50-8		0.0021	mg
Under Bump Metal	0.002464	mg	Supplier	Titanium (Ti)	7440-32-6		0.0003	mg
			Supplier	Copper (Cu)	7440-50-8		0.0022	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted)