© Co	terial Composit pyright 2005. IPC, H national and Pan-Am	Bannockb	urn, Illinois. A	ll rights reserved nations.	inder both	This docume level parts, t	ent is a declaration	ion of the su encompasse	ubstances v s all lower	vithin the manufact level materials for	urer listed which the	item. Note nanufactu	e: if the item is an a rer has engineering	ssembly with low responsibility.	
					Form Type Distribute	*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials an					and Mfg Information			
upplier Information															
Company name*			Company unique ID				Unique ID Authority				Respor	Response Date*			
onsemi											2025-0	2025-05-14			
Contact Name T			Title - Contact				Phone - Contact*				Email	Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com			
Authorized Representative*			Title - Representative				Phone - Representative*				Email	Email - Representative*			
Product-Env-Stewards P			Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com			
Requester Item N	Number	Mfr Item Number		mber Mfr Item Name			Effective Date	te Version Manufacturing Site			Weight*	UOM	Unit Type		
		FAN65005A Wide		Wide VIN 8A 70V Buck		2025-05-14		Pl	PBB		94.0	mg	Each		
Ianufacturing Procee	ess Information														
Terminal Plating	Terminal Plating / Grid Array Material Terminal		erminal Base A	e Alloy J-STD-020 MSL Rating		L Rating	Peak Process Body Temperature Ma		e Max Time at Pea	eak Temperature Number of Reflow		mber of Reflow Cy	cles		
Matte Tin (Sn) - annealed		С	CU Alloy 1		1		260		C 30		seconds 3				
omments															
vel 1 - maximum time at p	oeak temperature d	uring sol	dering is 10-3	0 seconds											
or more information rega	rding material com	position p	olease refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).								
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the						
Supplier Digital Signature	astislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Clip	2.3	mg	Supplier	Zinc (Zn)	7440-66-6		0.0028	mg
			Supplier	Iron (Fe)	7439-89-6		0.054	mg
			Supplier	Copper (Cu)	7440-50-8		2.2425	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0007	mg
Die	1.1	mg	Supplier	Silicon (Si)	7440-21-3		1.1	mg
Ероху	0.1	mg	Supplier	Titanium Dioxide (TiO2)	13463-67-7		0.009	mg
			Supplier	Proprietary	Proprietary Data		0.0005	mg
			Supplier	Bismaleimide	13676-54-5		0.0505	mg
			Supplier	PTFE	9002-84-0		0.04	mg
Lead Frame	40.9	mg	Supplier	Zinc (Zn)	7440-66-6		0.0491	mg
			Supplier	Iron (Fe)	7439-89-6		0.9611	mg
			Supplier	Copper (Cu)	7440-50-8		39.8775	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0123	mg
Mold Compound-Black	42.5	mg		Epoxy resin	proprietary data		5.6525	mg
			Supplier	Carbon Black (C)	1333-86-4		0.085	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		36.7625	mg
lating	3.4	mg	Supplier	Tin (Sn)	7440-31-5		3.4	mg
Solder Paste	3.4	mg	Supplier	Silver (Ag)	7440-22-4		0.085	mg
			Α	Lead (Pb)	7439-92-1	7a	3.145	mg
			Supplier	Tin (Sn)	7440-31-5		0.17	mg
Wire Bond - Cu	0.3	mg	Supplier	Copper (Cu)	7440-50-8		0.3	mg