ASSOCIATION CONNECTING LECTRONICS INDUSTRIES	PC. Bannockl	burn. Illinois. A	ll rights reserved untions.	under both	This docume level parts, t	ent is a declara he declaration	tion of the s encompasse	ubstances s all lowe	within the 1 r level mate	manufacture rials for wh	er listed iter hich the mar	n. Note: i iufacture	if the item is an as r has engineering	sembly with lowe responsibility.
				Form Type Distribute	*	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia					ls and Mfg Information			
Supplier Information														
Company name* Compa			mpany unique ID			Unique ID Authority					Response Date*			
onsemi											2025-09-04			
Contact Name Title - Contact					Phone - Contact*				Email - Contact*					
Product-Env-Stewards Product En			nviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Re			Representative			Phone - Representative*				Email - Representative*				
Product-Env-Stewards Produ			roduct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	Requester Item Number Mfr Item		Number Mfr Item Name			Effective Dat	e Version	ion Manufacturing Site		We	eight*	UOM	Unit Type	
	FDLL33	DLL333 LOW LEAKAGE		E DIODE LL34		2025-09-04		(CN2		27.	918	mg	Each
Manufacturing Proccess Informa	tion													
Terminal Plating / Grid Array M	ing / Grid Array Material Terminal Base Alloy		Alloy	J-STD-020 MSL	TD-020 MSL Rating Po		Peak Process Body Temperature Max Time at Peak		ne at Peak 🕻	Temperature Number of Reflow Cycles				
Matte Tin (Sn) - annealed CU Alloy			1		260		С	30		seconds	3			
Comments														
evel 1 - maximum time at peak temperati	ire during so	ldering is 10-3	0 seconds											
or more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		mium (Cr6+), Polybrominated Biphenyls (dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-ethers)					
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexcess encompass all such components.Supplier cert as of the date that Supplier completes this for Company acknowledges that Supplier may ha independently verified information provided certification in this paragraph.If the Company	ted biphenyls and/or polybrominated dip of an applicable quantity limit, please in ifies that it gathered the information it pr m.Supplier acknowledges that Company ve relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr source of the Supplier's liability and the	henyl ethers (each a "RoHS restricted subs ndicate below which, if any, RoHS exempt ovides in this form using appropriate meth will rely on this certification in determinin ers in completing this form, and that Suppl num, itssuppliers have provided certificatio eement with respect to the identified part,t Company's remedies for issues that arise r	stance") in exce ion you believe ods to ensure i g the compliar ier may not ha ons regarding t he terms and co	ropean Union member states) of the part identifiess of the applicable quantity limit identified able may apply. If the part is an assembly with low is accuracy and that such information is true and ce of its products with European Union member independently verified such information. How heir contributions to the part, and those certifica onditions of that agreement, including any warra nation the Supplier provides in this form. In the	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the inty rights and/or remedies provided as part of				
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for se	elected exempt	ions Supplier Acceptance	* Accepted				
Exemption: 7c-I Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.									
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.									
Supplier Digital Signature R	astislav Drska	Le							

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.07	mg	Supplier	Silicon (Si)	7440-21-3		0.07	mg	
Dumet Wire	18.175	mg	Supplier	Sulfur (S)	7704-34-9		0.0036	mg	
			Supplier	Carbon (C)	7440-44-0		0.0273	mg	
			Supplier	Manganese (Mn)	7439-96-5		0.2181	mg	
			Supplier	Silicon (Si)	7440-21-3		0.0545	mg	
			В	Nickel (Ni)	7440-02-0		6.0886	mg	
			Supplier	Iron (Fe)	7439-89-6		7.5081	mg	
			Supplier	Copper (Cu)	7440-50-8		4.2711	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0036	mg	
Glass Encapsulation	9.273	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		0.2782	mg	
			А	Lead Oxide (PbO)	1317-36-8	7c	5.6751	mg	
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.0046	mg	
			Supplier	Potassium Monoxide (K2O)	12136-45-7		0.3477	mg	
			Supplier	Silica Crystalline (SiO2)	14808-60-7		2.9674	mg	
Plating	0.4	mg	Supplier	Tin (Sn)	7440-31-5		0.4	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).