© Cot	erial Compositi byright 2005. IPC, B ational and Pan-Am	annockbu	urn, Illinois. A	ll rights reserved untions.	under both	This docume level parts, t	ent is a decla he declaration	aration of on enco	of the sub mpasses	ostances v all lower	within the 1 level mate	manufacture erials for wh	er listed it nich the m	em. Note anufactu	e: if the i arer has e	item is an asse engineering re	embly with lower sponsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ous Materia	ials and Mfg Information						
Supplier Information																	
Company name*			Company unique ID			Unique ID Authority						Response Date*					
onsemi											2024-05-21						
Contact Name			Title - Contact				Phone - Contact*						Email - Contact*				
Product-Env-Stewards			Product Enviro Compliance				NA						Product-Env-Stewards@onsemi.com				
Authorized Representative*			Title - Representative			Phone - Representative*					Email - Representative*						
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com					
Requester Item N	Requester Item Number Mfr Iter		n Number Mfr Item Name				Effective I	tive Date Versio		N	Manufacturing Site		V	Veight*		UOM	Unit Type
	FDMA291F		1P	SINGLE PCH 1.8V E			2024-05-2	1		Т	TH2		9	.879	:	mg	Each
Manufacturing Procce	ss Information			1							_				ł		1
Terminal Plating /	Terminal Plating / Grid Array Material		Ferminal Base Alloy J-S		J-STD-020 MS	L Rating	Peak F	Peak Process Body Tempera		nperatur	ture Max Time at Peak T		Temperature Number		mber of	Reflow Cycle	s
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			U Alloy 1		1		260			С	30 s		second	seconds 3			
Comments																	
evel 1 - maximum time at p	eak temperature du	uring solo	dering is 10-3	0 seconds													
for more information regar	ding material comp	position p	please refer to	page 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the
Supplier Digital Signature Ra	stislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.569	mg	Supplier	Silicon (Si)	7440-21-3		0.569	mg
Die Attach Epoxy	0.108	mg	Supplier	Poly(oxypropylene)diamine	9046-10-0		0.0032	mg
			Supplier	Silver (Ag)	7440-22-4		0.0918	mg
			Supplier	Proprietary	Proprietary Data		0.0054	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0076	mg
Lead Frame	4.24	mg	Supplier	Zinc (Zn)	7440-66-6		0.006	mg
			Supplier	Iron (Fe)	7439-89-6		0.102	mg
			Supplier	Copper (Cu)	7440-50-8		4.13	mg
			Supplier	Phosphorus (P)	7723-14-0		0.002	mg
Mold Compound-Black	4.878	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.488	mg
			Supplier	Carbon Black (C)	1333-86-4		0.049	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		4.341	mg
Plating	0.049	mg	Supplier	Palladium (Pd)	7440-05-3		0.004	mg
			В	Nickel (Ni)	7440-02-0		0.044	mg
			Supplier	Gold (Au)	7440-57-5		0.001	mg
Wire Bond - Cu	0.035	mg	Supplier	Copper (Cu)	7440-50-8		0.035	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).