ABSOCIATION CONNECTING ELECTRONICS INDUSTRIES® International and P	IPC, Bannock	burn, Illinois. A	Il rights reserved u ntions.	nder both	This docume level parts, t	ent is a decla the declaratio	tration on enco	of the sub ompasses	ostances all lower	within the n level mate	nanufactur rials for wh	er listed ite hich the ma	em. Note inufactu	e: if the iter arer has eng	n is an ass gineering r	embly with low esponsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous M					ous Materia	erials and Mfg Information					
Supplier Information																
Company name*	Company un	Company unique ID				Unique ID Authority						Response Date*				
nsemi								2024-05-14								
Contact Name	Title - Contact			Phone - Contact*						Email - Contact*						
Product-Env-Stewards	Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com						
uthorized Representative*	Title - Representative			Phone - Representative*					Email - Representative*							
Product-Env-Stewards	Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com						
Requester Item Number	Mfr Iter	n Number					ate N	Version Manu		Manufacturing Site		W	veight*	UC	DM	Unit Type
	FDMC8	6102LZ				2024-05-14		TH2		2	25.5362 mg		5	Each		
Ianufacturing Proccess Inform	ation						I			_				I		
Terminal Plating / Grid Array M	/aterial '	Ferminal Base A	Alloy	J-STD-020 MSL Rating		Peak Process		Body Temperature Max Time at Pea		ne at Peak	Temperature Numbe		mber of Re	flow Cycl	es	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1		1		260		С		30		seconds 3				
comments																
vel 1 - maximum time at peak tempera	ture during so	dering is 10-3	0 seconds													
or more information regarding materia	al composition	please refer to	page 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the
Supplier Digital Signature Ra	stislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material Weight Unit		Unit of Measure	Level	evel Substance		Exempt	Weight	Unit of Measure	
Die	1.055	mg	Supplier	Silicon (Si)	7440-21-3		1.055	mg	
Die Attach	0.1359	mg	Supplier	Isobornyl Methacrylate	7534-94-3		0.0082	mg	
			Supplier	Silver (Ag)	7440-22-4		0.1108	mg	
			Supplier	Isobornyl Acrylate	5888-33-5		0.0082	mg	
			Supplier	Misc.	Proprietary Data		0.0007	mg	
			Supplier	Tricyclo[5.2.1.02,6]decanedimethanol Diacrylate (C18H24O4)	42594-17-2		0.0082	mg	
Lead Frame	13.2	mg	Supplier	Zinc (Zn)	7440-66-6		0.0158	mg	
			Supplier	Iron (Fe)	7439-89-6		0.3102	mg	
			Supplier	Copper (Cu)	7440-50-8		12.87	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.004	mg	
Mold Compound-Black	10.3333	mg	Supplier	Silica Amorphous (SiO2)	7631-86-9		0.775	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0517	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		8.215	mg	
			Supplier	EpoxyNovolaCresins (Cresolic)	64425-89-4		0.5167	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.775	mg	
Plating	0.259	mg	Supplier	Palladium (Pd)	7440-05-3		0.0185	mg	
			В	Nickel (Ni)	7440-02-0		0.2375	mg	
			Supplier	Gold (Au)	7440-57-5		0.0031	mg	
Wire Bond	0.553	mg	Supplier	Palladium (Pd)	7440-05-3		0.0072	mg	
			Supplier	Copper (Cu)	7440-50-8		0.5458	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).