	IPC Web Site for Informati http://www.ipc.org/IPC-1 ion		Distr	n Type * ribute	Class		, Homogeneous Materia		on		
ompany name*	ion		nique ID		Unique ID Autho	rity		D			
semi			nique ID		Unique ID Autho	rity		D			
		Title - Conts			Unique ID Authority			Response Date*			
ontact Name		Title - Conto						2025-08-27			
		Title - Collie	act		Phone - Contact*			Email - Contact*			
			Product Enviro Compliance Title - Representative					Product-Env-Stewards@onsemi.com Email - Representative*			
Requester Ite	em Number M	Ifr Item Number	Mfr Item Name		Effective Date	Version	Manufacturing Site	Weight*	UOM	Unit Type	
	F	DMS8350LET40	FET 40V 0.85 mOhm PQF	FN56	2025-08-27		PBB	122.148	mg	Each	
	occess Information	Terminal Base	Alloy I STD 03	20 MSL Rating	Paul Proces	es Rody Tamparati	re Max Time at Peak	Tamparatura Numb	or of Poflow Cv	clas	
2 2		CU Alloy	j		Peak Process Body Temperature Max Time at Peak 260 C 30		Temperature Number of Reflow Cycles seconds 3				
	m) - amearcu	CU Alloy	1		200	IC IC	30	seconds			
omments	at neels temperature du	ring soldoring is 10	20 seconds								
	e at peak temperature dur regarding material compo	8 8									

RoHS Material Composition Declaration			Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU									
cadmium, hexavalentchromium, polybrominal contains a RoHS restricted substance inexcess encompass all such components. Supplier certi as of the date that Supplier completes this for Company acknowledges that Supplier may ha independently verified information provided by certification in this paragraph. If the Company	ted biphenyls and/or polybrominated dipheny of an applicable quantity limit, please indicate fies that it gathered the information it provident. Supplier acknowledges that Company will we relied on information provided by others in the supplier agrees that, at a minimum and the Supplier enter into a written agreements ource of the Supplier's liability and the Com-	2011/65/EU and implemented by the laws of the End ethers (each a "RoHS restricted substance") in except the below which, if any, RoHS exemption you believe in this form using appropriate methods to ensure rely on this certification in determining the compliant completing this form, and that Supplier may not have its suppliers have provided certifications regarding ent with respect to the identified part, the terms and capany's remedies for issues that arise regarding information in the content of the content with the supplier of the identified part, the terms and capany's remedies for issues that arise regarding information in the content of t	sess of the applicable quantity limit identified able may apply. If the part is an assembly with low its accuracy and that such information is true annee of its products with European Union member ave independently verified such information. However, their contributions to the part, and those certifications of that agreement, including any warr	bove. If a homogeneous material within the part ver level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. It is involved in situations where Supplier has not ations are at least as comprehensive as the ranty rights and/or remedies provided as part of					
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted substance	s per the definition above except for selected exemp	tions Supplier Acceptance	* Accepted					
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).									
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required f Requester) and click on Submit Form to ha		Accepted" on the Supplier Acceptance drop-dow	n. This will display the signature area. Digita	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	astislav Drska	-En							

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Clip	19.1	mg	Supplier	Zinc (Zn)	7440-66-6		0.025	mg
			Supplier	Iron (Fe)	7439-89-6		0.458	mg
			Supplier	Copper (Cu)	7440-50-8		18.617	mg
Die	2.54	mg	Supplier	Silicon (Si)	7440-21-3		2.54	mg
Die Attach Solder	3.017	mg	Supplier	Silver (Ag)	7440-22-4		0.0754	mg
			A	Lead (Pb)	7439-92-1	7a	2.7907	mg
			Supplier	Tin (Sn)	7440-31-5		0.1508	mg
Lead Frame	46.436	mg	Supplier	Silver (Ag)	7440-22-4		0.636	mg
			Supplier	Zinc (Zn)	7440-66-6		0.06	mg
			Supplier	Iron (Fe)	7439-89-6		1.099	mg
			Supplier	Copper (Cu)	7440-50-8		44.641	mg
Mold Compound-Black	42.7	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		2.135	mg
			Supplier	Carbon Black (C)	1333-86-4		0.427	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		38.003	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		2.135	mg
Plating	8.33	mg	Supplier	Tin (Sn)	7440-31-5		8.33	mg
Wire Bond - Au	0.025	mg	Supplier	Gold (Au)	7440-57-5		0.025	mg