	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			nder both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mf	g Informati	ion			
upplier	Information														
Company name* Company u				ıy unique ID I			Unique ID Authority					Response Date*			
onsemi												2025-05-12			
Contact Name			Title - Contact]	Phone - Contact*				Email - Contact*				
Product-Er	nv-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
uthorized	Representative*		Title - Representative]	Phone - Representative*				Email - Representative*				
roduct-Er	nv-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Item Number FFSPF1065A		n Number Mfr Item Name				Effective Date	e Version Manufacturing Site		ing Site	v	Veight*	UOM	Unit Type	
)65A	650V 10A SIC SBD			2025-05-12 CPA			2084.4		mg	Each		
Ianufact	turing Proccess Informat	tion													
Т	Terminal Plating / Grid Array Material		Ferminal Base Alloy J-STD-020 MS		L Rating	Peak Process Body Temperat		ure Max Time at Peak Ter		Temperatu	ire Numb	per of Reflow Cyc	les		
N	Matte Tin (Sn) - annealed		CU Alloy	J Alloy NA			0 C		30		second	ls 3			
omments															
or more in	nformation regarding material (composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in ifies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted							
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).									
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the							
Supplier Digital Signature	astislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	13.9	mg	Supplier	Silicon Carbide	409-21-2		13.9	mg
Die Attach	7.37	mg	Supplier	Silver (Ag)	7440-22-4		0.1474	mg
			А	Lead (Pb)	7439-92-1	7a	6.4856	mg
			Supplier	Tin (Sn)	7440-31-5		0.737	mg
Lead Frame	1153.73	mg	Supplier	Silver (Ag)	7440-22-4		2.24	mg
			Supplier	Iron (Fe)	7439-89-6		1.15	mg
			Supplier	Copper (Cu)	7440-50-8		1149.9954	mg
			Supplier	Phosphorus (P)	7723-14-0		0.3446	mg
Mold Compound-Black	880.0	mg		Proprietary	proprietary data		44	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		8.8	mg
			Supplier	Carbon Black (C)	1333-86-4		4.4	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		136.4	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		52.8	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		52.8	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		580.8	mg
Plating	26.4	mg	Supplier	Tin (Sn)	7440-31-5		26.4	mg
Wire Bond - Al	3.0	mg	Supplier	Aluminum (Al)	7429-90-5		3	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).