Authorized Representative*  Title - Representative  Phone - Representative*  Email - Representative*	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.					
Company name* Company unique ID  Unique ID Authority  Response Date*  2025-07-12  Contact Name  Title - Contact  Product Env-Stewards  Unique ID Authority  Phone - Contact*  Phone - Contact*  Product-Env-Stewards  Unique ID Authority  Phone - Contact*  Phone - Contact*  Product-Env-Stewards  Unique ID Authority  Phone - Contact*  Email - Contact*  Product-Env-Stewards@onsemi.com  Unique ID Authority  Phone - Contact*  Product-Env-Stewards  NA  Product-Env-Stewards@onsemi.com  Product-Env-Stewards  Product-Env-Stewards  Product-Env-Stewards  Product-Env-Stewards  Product-Env-Stewards  Product-Env-Stewards  Product-Env-Stewards  Product-Env-Stewards  Product-Env-Stewards  NA  Product-Env-Stewards@onsemi.com  Weight*  UOM  Weight*  UOM  Wanufacturing Proccess Information  Proccess Information  Ferminal Plating / Grid Array Material  Terminal Base Alloy  P-STD-020 MSL Rating  Peak Process Body Temperature  Max Time at Peak Temperature  Number of Reflow Cycle  Matte Tin (Sn) - annealed  Unique ID Authority  Email - Contact*  Email - Representative*  Unique ID Authority  Email - Contact*  Email - Representative*  Unique ID Authority  Email - Contact*  Email - Contact*  Email - Contact*  Email - Representative*  Unique ID Authority  Email - Contact*  Email -						
Insemi						
Title - Contact Name Product Enviro Compliance Product Env-Stewards Product Enviro Compliance Phone - Representative* Product Env-Stewards Product Enviro Compliance Phone - Representative* Product Env-Stewards Product Enviro Compliance Phone - Representative* Product Env-Stewards Product Enviro Compliance NA Product Env-Stewards Product Enviro Compliance NA Product Env-Stewards @ onsemi.com NA Nanufacturing Site Weight* UOM NA	Response Date*					
Product-Env-Stewards Authorized Representative* Authorized Representative* Product Enviro Compliance Requester Item Number Requester Item Number Requester Item Number Representative Reproduct Enviro Compliance NA Requester Item Number Requester Item Number Reproduct Enviro Compliance NA Requester Item Number Representative* Requester Item Number Reproduct Enviro Compliance NA Requester Item Number Re	2025-07-12					
Title - Representative* Product-Env-Stewards Requester Item Number Repozetative* Requester Item Number Representative* Requester Item Number Requester Item Number Representative* Requester Item Number Representative* Requester Item Number Representative* Requester Item Number Requester Item Number Representative* Requester Item Number Requester I	Email - Contact*					
Product-Env-Stewards Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM  FOD2741AV 8PW E-AMP TR DIP VDE 2025-07-12 THH 473.871 mg  Manufacturing Process Information  Terminal Plating / Grid Array Material Terminal Base Alloy Matte Tin (Sn) - annealed CU Alloy NA 0 C 30 Seconds 3	Product-Env-Stewards@onsemi.com					
Requester Item Number	Email - Representative*					
FOD2741AV 8PW E-AMP TR DIP VDE 2025-07-12 THH 473.871 mg    Terminal Plating / Grid Array Material   Terminal Base Alloy   J-STD-020 MSL Rating   Peak Process Body Temperature   Max Time at Peak Temperature   Number of Reflow Cycl   Matte Tin (Sn) - annealed   CU Alloy   NA   0   C   30   seconds   3	Product-Env-Stewards@onsemi.com					
Manufacturing Proccess Information         Terminal Plating / Grid Array Material       Terminal Base Alloy       J-STD-020 MSL Rating       Peak Process Body Temperature       Max Time at Peak Temperature       Number of Reflow Cycles         Matte Tin (Sn) - annealed       CU Alloy       NA       0       C       30       seconds       3	Unit Type					
Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles Matter Tin (Sn) - annealed CU Alloy NA 0 C 30 seconds 3	Each					
Matte Tin (Sn) - annealed CU Alloy NA 0 C 30 seconds 3	Sueles					
Fine The (on) universe of the control of the contro	ycles					
omments						
or more information regarding material composition please refer to page 3						

RoHS Material Composition Declaration			Declaration Type *	Detail	ed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU  RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive Company acknowledges that Supplier may have relied on informationprovided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such p										
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted					
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose al applicable exemptions.										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the					

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

<b>Homogeneous Material</b>	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Coupling Gel	4.37	mg	Supplier	Dimethyl Cyclosiloxanes	69430-24-6		0.437	mg
			Supplier	Trimethoxy(methyl)silane (C4H12O3Si)	1185-55-3		3.933	mg
Die	3.753	mg	В	Gallium Arsenide (AsGa)	1303-00-0		0.263	mg
			Supplier	Silicon (Si)	7440-21-3		3.49	mg
Die Attach	0.423	mg	Supplier	Silver (Ag)	7440-22-4		0.3173	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.1058	mg
Lead Frame	117.616	7.616 mg	Supplier	Silver (Ag)	7440-22-4		0.74	mg
			Supplier	Zinc (Zn)	7440-66-6		0.141	mg
			Supplier	Iron (Fe)	7439-89-6		2.7	mg
			Supplier	Copper (Cu)	7440-50-8		114	mg
			Supplier	Phosphorus (P)	7723-14-0		0.035	mg
Mold Compound-Black	343.7 mg	43.7 mg	Supplier	2,6-dibromo-4-[1-(3-bromo-4-hydroxyphenyl)-1-methylethyl]phenol	6386-73-8		13.7	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		68.7001	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		10.3	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		250.9999	mg
Plating	3.81	mg	Supplier	Tin (Sn)	7440-31-5		3.81	mg
Wire Bond - Au	0.199	mg	Supplier	Gold (Au)	7440-57-5		0.199	mg