ASSOCIATION CO	ONNECTING NDUSTRIES® MOUSTRIES® MOUSTRIES® MOUSTRIES®	PC. Bannockt	ourn. Illinois. A	Il rights reserved ntions.	under both lev	his docume vel parts, tl	ent is a declara he declaration	ntion of encom	the substances the substances all lower	within the r level mate	nanufactur rials for wl	er listed iter hich the mar	n. Note: if ufacturer	the item is an as has engineering	ssembly with low responsibility.
752-21.1					Form Type * Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ous Materia	als and Mfg Information			
upplier I	nformation														
Company name* Company unic				ique ID U:			Unique ID Authority					Response Date*			
onsemi												2024-05-01			
ontact Nam	ne	Title - Contact				Phone - Contact*					Email - Contact*				
roduct-Env	v-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
uthorized F	Representative*	Title - Representative			1	Phone - Representative*				Email - Representative*					
roduct-Env	v-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
R	Requester Item Number Mfr Iten		m Number Mfr Item Name				Effective Date	te Ve	ersion N	Manufacturing Site		W	eight*	UOM	Unit Type
		FSL518APG High Performance I Regulator with HV				2024-05-01	TAD		46	1.85	mg	Each			
lanufactu	uring Proccess Informa	tion								-			-		
Те	Terminal Plating / Grid Array Material		-		J-STD-020 MSL R	Rating	Peak Pro	cess Bo	ess Body Temperature		are Max Time at Peak Temp		e Numb	er of Reflow Cy	cles
Matte Tin (Sn) - annealed			CU Alloy NA			0 C		30 seco		seconds	3				
mments															
or more info	formation regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	1.6	mg	Supplier	Silicon (Si)	7440-21-3		1.6	mg
Die Attach	3.0	mg	Supplier	Silver (Ag)	7440-22-4		2.25	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.75	mg
Lead Frame	121.2	mg	Supplier	Silver (Ag)	7440-22-4		0.605	mg
			Supplier	Zinc (Zn)	7440-66-6		0.169	mg
			Supplier	Iron (Fe)	7439-89-6		3.16	mg
			Supplier	Copper (Cu)	7440-50-8		117.0001	mg
			Supplier	Phosphorus (P)	7723-14-0		0.2659	mg
Iold Compound-Black	321.0	mg		Epoxy resin	proprietary data		22.47	mg
			Supplier	Phenolic Resin	Proprietary Data		8.025	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		24.075	mg
			Supplier	Carbon Black (C)	1333-86-4		1.605	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		256.8	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		8.025	mg
lating	9.05	mg	Supplier	Tin (Sn)	7440-31-5		9.05	mg
Wire Bond - Au	6.0	mg	Supplier	Gold (Au)	7440-57-5		6	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).