ASSOCIATION CONNECTING	© Copyright 2005. IPC, international and Pan-Ar	Bannockb	ourn, Illinois. A	ll rights reserved untions.	nder both	This docum level parts,	ent is a declara the declaration	ion of the s encompasse	ubstances es all lower	within the manufactur level materials for w	rer listed in hich the m	tem. Note: i nanufacture	f the item is an as r has engineering	sembly with lower responsibility.
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				*	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information			
Supplier Inform	ation													
Company name*			Company unique ID				Unique ID Authority				Response Date*			
onsemi											2024-05-06			
Contact Name			Title - Contact				Phone - Contact*				Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com			
Authorized Representative*			Title - Representative				Phone - Representative*			Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com			
Requeste	Requester Item Number Mfr Item		n Number Mfr Item Name				Effective Date	e Version	N	Ianufacturing Site	· ·	Weight*	UOM	Unit Type
		LC709203FQH- 01TWG		Fuel Gauge			2024-05-06 CNH		NH	2	25.0	mg	Each	
Manufacturing l	Proccess Information	1												
Terminal Plating / Grid Array Material Termi		erminal Base A	rminal Base Alloy J-STD-020 MSL		L Rating	Peak Pro	Peak Process Body Temperature Max 7		e Max Time at Peak	Temperat	ure Numl	per of Reflow Cyc	eles	
Matte Tin (Sn) - annealed CU			CU Alloy	J Alloy 3			260 C 30		30	seconds 3				
Comments														
ATTENTION: MSL	3 Rated item requires Ba	ike and D	ry Pack (after	electrical test)										
For more informatio	on regarding material com	position	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	1.9	mg	Supplier	Silicon (Si)	7440-21-3		1.8882	mg	
			Supplier	Polyimide	Proprietary Data		0.0118	mg	
Die Attach	0.46	mg	Supplier	Silver (Ag)	7440-22-4		0.3427	mg	
			Supplier	Epoxy resins	129915-35-1		0.0391	mg	
			Supplier	Polybutadiene polymer	Proprietary Data		0.0092	mg	
			Supplier	Acrylic resins	Proprietary Data		0.069	mg	
Lead Frame	11.84	mg	Supplier	Silver (Ag)	7440-22-4		0.2948	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0225	mg	
			Supplier	Iron (Fe)	7439-89-6		0.2996	mg	
			Supplier	Copper (Cu)	7440-50-8		11.2066	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0166	mg	
Mold Compound-Black	10.5	mg		Phenolic Resin	proprietary data		0.42	mg	
			Supplier	Epoxy Phenol Resin	Proprietary Data		0.6825	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0315	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		9.366	mg	
Plating	0.25	mg	Supplier	Tin (Sn)	7440-31-5		0.25	mg	
Wire Bond - Au	0.05	mg	Supplier	Gold (Au)	7440-57-5		0.05	mg	