IPC ASSOCIATION ELECTRONIC	Material Compo © Copyright 2005. IPO SE INDUSTRIES® international and Pan-	C, Bannockb	urn, Illinois. A	all rights reserved un	nder both	This docume level parts, t	ent is a declar he declaration	ration of n encom	f the substances npasses all lowe	within the r level ma	e manufactur terials for w	er listed it hich the m	em. Note: i anufacture	if the item is an as r has engineering	ssembly with lowe responsibility.	
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					eous Materi	ials and Mfg Information				
Supplie	r Information															
Company name* Company unique ID				ique ID	Uniqu			Unique ID Authority					Response Date*			
onsemi												2025-07-15				
Contact N	ame	Title - Contact			]	Phone - Contact*					Email - Contact*					
Product-l	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Authorize	d Representative*	Title - Representative			]	Phone - Representative*				Email - Representative*						
Product-l	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com						
	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Da	ite Ve	Version Manufacturing Site		ring Site	V	Veight*	UOM	Unit Type	
		LM317LBZRPG ANA 100		ANA 100MA AD	100MA ADJUST OUT VREG		2025-07-15			CNF		1	98.01	mg	Each	
Manufa	cturing Proccess Informati	on		,			'	,	,					1	1	
	Terminal Plating / Grid Array Material Ter		erminal Base Alloy J-STD-020 MS		Rating	Peak Process Body Tempera		ture Max Time at Peak Temper		Temperatu	ire Numb	per of Reflow Cyc	eles			
	Matte Tin (Sn) - annealed		CU Alloy NA			0 C		30	30 seco		is 3					
comments	S															
or more	information regarding material c	omposition <b>j</b>	please refer to	page 3												

RoHS Material Composition Declaration			Declaration Type *	Detail	led						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU  RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier have provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale appl											
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substa	ances per the definition above	Supplier Ac	ceptance *	Accepted						
Exemption: If the declared item does not applicable exemptions.	contain RoHS restricted substances per	the definition above except for defined Ro	oHS exemptions, then select the corresponding	response in the R	oHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructional Complete all of the required	fields on all neggs of this form. Calcut th		a duan dawn. This will display the signature on	a Digitally sign	the declaration (if recurined by the						
Instructions: Complete all of the required Requester) and click on Submit Form to			e drop-down. This will display the signature ar	ea. Digitally sign	the declaration (if required by the						

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	3.2	mg	Supplier	Silicon (Si)	7440-21-3		3.2	mg
Die Attach	5.15	mg	Supplier	Silver (Ag)	7440-22-4		4.3775	mg
			Supplier	Phenolic Resin	Proprietary Data		0.7725	mg
Lead Frame	80.67		Supplier	Silver (Ag)	7440-22-4		0.0081	mg
			Supplier	Iron (Fe)	7439-89-6		0.0807	mg
			Supplier	Copper (Cu)	7440-50-8		80.5571	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0242	mg
Mold Compound-Black	106.15			Phenol Resin	proprietary data		10.615	mg
			Supplier	Carbon Black (C)	1333-86-4		1.0615	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		81.7355	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		12.738	mg
Plating	2.74	mg	Supplier	Tin (Sn)	7440-31-5		2.74	mg
Wire Bond - Au	0.1	mg	Supplier	Gold (Au)	7440-57-5		0.1	mg