ASECCIATION CONNECTING ELECTRONICS INDUSTRIES® International and Par	PC. Bannockb	ourn. Illinois. A	ll rights reserved un ntions.	nder both	This docume level parts, t	ent is a declaration er	n of the substar compasses all l	nces within the manufactu ower level materials for v	urer listed which the	item. Note: if manufacturer	f the item is an as has engineering	sembly with low responsibility.	
	I.1IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175xForm T Distribution				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information					on			
upplier Information													
Company name* Comp			ompany unique ID			Unique ID Authority				Response Date*			
onsemi							2			2024-04-19			
ontact Name Title - Contact			et	Phone - C			Contact* E			Email - Contact*			
Product-Env-Stewards Product Envir			Enviro Compliance		NA			Produ	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Represent			entative		Phone - Representative*			Email	Email - Representative*				
Product-Env-Stewards Product En			duct Enviro Compliance			NA			Produ	Product-Env-Stewards@onsemi.com			
Requester Item Number	Mfr Item	Number	Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	LV33271	LV3327PV-TLM-H 2CH E-VOLUME		FOR PORTAE	BLE	2024-04-19 PHM		РНМ		80.0	mg	Each	
Anufacturing Proccess Informa	tion						·					·	
Terminal Plating / Grid Array Ma	Terminal Plating / Grid Array Material Terminal Base A		Alloy J	-STD-020 MSL	Rating	Peak Proce	ss Body Tempe	rature Max Time at Peal	k Tempera	ature Numb	er of Reflow Cyc	cles	
contains Bi CU Alloy		3			260	С	30	seco	nds 3				
omments													
TTENTION: MSL 3 Rated item require	s Bake and D	ry Pack (after	electrical test)										
or more information regarding material	composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted					
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	1.82	mg	Supplier	Silicon (Si)	7440-21-3		1.8133	mg
			Supplier	Polyimide	Proprietary Data		0.0067	mg
Die Attach	0.38	mg	Supplier	Silver (Ag)	7440-22-4		0.2586	mg
			Supplier	Epoxy resins	129915-35-1		0.1099	mg
			Supplier	Other Metal Oxide	Proprietary Data		0.0083	mg
			В	Antimony Pentoxide (Sb2O5)	1314-60-9		0.0033	mg
Lead Frame	6.56	mg	Supplier	Zinc (Zn)	7440-66-6		0.0085	mg
			Supplier	Iron (Fe)	7439-89-6		0.1542	mg
			Supplier	Copper (Cu)	7440-50-8		6.3921	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0052	mg
Mold Compound-Black	69.73	mg		Epoxy Phenol Resin	proprietary data		8.3676	mg
			Supplier	Carbon Black (C)	1333-86-4		0.2789	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		58.9916	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		2.0919	mg
Plating	1.13	mg	В	Bismuth (Bi)	7440-69-9		0.0068	mg
			Supplier	Tin (Sn)	7440-31-5		1.1232	mg
Wire Bond	0.38	mg	Supplier	Palladium (Pd)	7440-05-3		0.0038	mg
			Supplier	Gold (Au)	7440-57-5		0.3762	mg