ASSOCIATION CONNECTING ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® international and Par	PC. Bannockl	burn. Illinois. A	ll rights reserved utions.	under both	This docume level parts, t	ent is a declaration entities the declaration entities and the declaration entities and the declaration entities and the declaration entities are an entities are an entities and the declaration entities are an entits are an entities are an entits are an entities are an entities	on of the su	bstances v all lower	vithin the manufactu level materials for v	urer listed which the	item. Note: manufacture	if the item is an as er has engineering	sembly with low responsibility.	
	21.1 IPC Web Site for Information on IPC-1752 Standard For http://www.ipc.org/IPC-175x Dis				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and M				Ifg Informa	tion				
upplier Information														
ompany name* Company			ipany unique ID			Unique ID Authority				Respon	Response Date*			
semi										2025-09-16				
ntact Name Title - Contact				Phone - Contact*					Email - Contact*					
Product-Env-Stewards Product Enviro			o Compliance		NA				Produ	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Represent			entative		Phone - Representative*			Email - Representative*						
Product-Env-Stewards Product Envir			Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com			
Requester Item Number	Mfr Iten	n Number	Mfr Item Name			Effective Date Version Manufacturing		Ianufacturing Site		Weight*	UOM	Unit Type		
	MC74H	AC74HC4067ADWG IC MUX/D		UX/DEMUX 1X16		2025-09-16		PI	PH1		661.78	mg	Each	
Ianufacturing Proccess Informa	tion													
Terminal Plating / Grid Array M	aterial T	Ferminal Base A	Alloy J-STD-020 MSL Ra		L Rating	Peak Proce	A Process Body Temperate		ure Max Time at Peak Temper		ture Num	ber of Reflow Cyc	les	
Matte Tin (Sn) - annealed CU Alloy		CU Alloy	3			260 C		С	30 seco		seconds 3			
omments														
TTENTION: MSL 3 Rated item require	es Bake and E	Dry Pack (after	electrical test)											
or more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chror	HS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl nalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	3.79	mg	Supplier	Silicon (Si)	7440-21-3		3.79	mg
Die Attach	24.58	mg	Supplier	Silver (Ag)	7440-22-4		18.435	mg
			Supplier	Epoxy resins	129915-35-1		6.145	mg
Lead Frame	385.08	mg	Supplier	Silver (Ag)	7440-22-4		2.6956	mg
			Supplier	Zinc (Zn)	7440-66-6		0.4621	mg
			Supplier	Iron (Fe)	7439-89-6		9.0494	mg
			Supplier	Copper (Cu)	7440-50-8		372.7574	mg
			Supplier	Phosphorus (P)	7723-14-0		0.1155	mg
Mold Compound-Black	242.16	mg		Epoxy Phenol Resin	proprietary data		25.4268	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		216.7332	mg
Plating	5.6	mg	Supplier	Tin (Sn)	7440-31-5		5.6	mg
Wire Bond - Cu	0.57	mg	Supplier	Copper (Cu)	7440-50-8		0.57	mg