ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® International and Par	PC Bannockl	burn Illinois A	Il rights reserved untions.	under both	This docume level parts, t	ent is a declaration he declaration en	on of the su	bstances w all lower	vithin the manufactur level materials for w	rer listed i which the r	tem. Note: nanufacture	if the item is an as er has engineering	sembly with low responsibility.
				Form Type Distribute	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Info					fg Informa	tion		
upplier Information													
Company name* Compa			ompany unique ID			Unique ID Authority				Response Date*			
nsemi										2024-04-28			
ttact Name Title - Contact					Phone - Contact*				Email - Contact*				
Product-Env-Stewards Product Enviro Compliance			ro Compliance	NA						Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Representative			Phone - Represent			ntative* Email		Email -	nail - Representative*				
Product-Env-Stewards Product 1			oduct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
Requester Item Number	Mfr Item Number		r Mfr Item Name			Effective Date	Version	rsion Manufacturing Site			Weight*	UOM	Unit Type
	MCH33	CH3375-TL-W PCH 4V DRIVE SI		SERIES		2024-04-28		CI	CNG		7.45	mg	Each
Ianufacturing Proccess Informa	tion		·				·						
Terminal Plating / Grid Array Ma	Ferminal Plating / Grid Array Material Terminal Base Alloy		Alloy	J-STD-020 MSI	Peak Proce	eak Process Body Temperature Max Time at Peak			Temperature Number of Reflow Cycles				
contains Bi CU Alloy		CU Alloy		1		260		С	30	seco	ids 3		
omments													
vel 1 - maximum time at peak temperatu	ire during so	Idering is 10-3	0 seconds										
or more information regarding material	composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.1	mg	Supplier	Silicon (Si)	7440-21-3		0.1	mg
Lead Frame	2.79	mg	Supplier	Silver (Ag)	7440-22-4		0.0778	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0053	mg
			В	Nickel (Ni)	7440-02-0		0.0131	mg
			Supplier	Iron (Fe)	7439-89-6		0.07	mg
			Supplier	Copper (Cu)	7440-50-8		2.6198	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0039	mg
Mold Compound-Black	4.49	mg		Epoxy Phenol Resin	proprietary data		0.0359	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0449	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.2694	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		3.592	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.5388	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		0.009	mg
Plating	0.05	mg	В	Bismuth (Bi)	7440-69-9		0.0003	mg
			Supplier	Tin (Sn)	7440-31-5		0.0497	mg
Wire Bond - Cu	0.02	mg	Supplier	Copper (Cu)	7440-50-8		0.02	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).