	© Copyright 2005. international and Pa	IPC, Bannockt	ourn, Illinois. A	Il rights reserved un ntions.	nder both	This docume level parts, t	ent is a declaration	ion of the s encompasse	ubstances es all lower	within the manufactur r level materials for w	rer listed i hich the n	tem. Note: i nanufacturer	f the item is an as r has engineering	sembly with lower responsibility.
1752-21.1					Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information			
Supplier	Information													
Company name*			Company un	Company unique ID			Unique ID Authority				Response Date*			
onsemi										2025-08-01				
Contact Na	ime	Title - Contact				Phone - Contact*				Email - Contact*				
Product-E	nv-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com			
Authorized	Representative*	Title - Representative				Phone - Representative*				Email - Representative*				
Product-E	nv-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Item		n Number Mfr Item Name				Effective Date	Version	ion Manufacturing Site			Weight*	UOM	Unit Type
		MCH5908H-TL-E NCH		NCH+NCH J-FET		2025-08-01		C	CNG		7.72	mg	Each	
Manufac	turing Proccess Information	ation												
,	Terminal Plating / Grid Array Material Te		erminal Base Alloy J-STD-020 MSI		L Rating	Peak Process Body Temperatu		emperatur	ure Max Time at Peak Temper		ture Numb	per of Reflow Cyc	eles	
	contains Bi CU Alloy			1			260		C	30	secor	ds 3		
Comments														
level 1 - ma	ximum time at peak temperat	ture during sol	Idering is 10-3	0 seconds										
For more in	nformation regarding materia	l composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU												
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.17	mg	Supplier	Silicon (Si)	7440-21-3		0.17	mg
Lead Frame	3.25	mg	Supplier	Silver (Ag)	7440-22-4		0.1024	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0062	mg
			В	Nickel (Ni)	7440-02-0		0.0172	mg
			Supplier	Iron (Fe)	7439-89-6		0.0813	mg
			Supplier	Copper (Cu)	7440-50-8		3.0384	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0045	mg
Mold Compound-Black	4.18	mg		Brominated epoxy resin	proprietary data		0.0836	mg
			Supplier	Epoxy Phenol Resin	Proprietary Data		0.0418	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.0836	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0418	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		3.1893	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.7315	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		0.0084	mg
Plating	0.08	mg	В	Bismuth (Bi)	7440-69-9		0.0005	mg
			Supplier	Tin (Sn)	7440-31-5		0.0795	mg
Wire Bond - Au	0.04	mg	Supplier	Gold (Au)	7440-57-5		0.04	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).