ASSOCIATION CONNECTING ELECTROWICS INDUSTRIES® Material Comp © Copyright 2005. I international and Par	osition De PC, Bannock n-American c	e claration burn, Illinois. A copyright conver	ll rights reserved untions.	inder both						hin the manufac vel materials for					
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					erials and M	ials and Mfg Information				
upplier Information															
Company name* Comp			Company unique ID U			Unique ID Authority					Respons	Response Date*			
onsemi										2025-05-13					
Contact Name Title			Title - Contact			Phone - Contact*					Email -	Email - Contact*			
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA					Produc	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title			Title - Representative			Phone - Representative*				Email -	Email - Representative*				
roduct-Env-Stewards	Product Enviro Compliance				NA					Produc	Product-Env-Stewards@onsemi.com				
Requester Item Number Mfr Ite		m Number Mfr Item Name				Effective Da	ate V	te Version Manufacturing Site TH2		1	Weight*	UOM	[Unit Type	
	MICRC SMT-T	MICROFC-60035- C-Series 6mm		35u MLP		2025-05-13				TH2		98.45988			Each
Ianufacturing Proccess Informa	tion						·				·				
Terminal Plating / Grid Array Ma	aterial	Terminal Base Alloy		J-STD-020 MS	STD-020 MSL Rating		Peak Process Body Tem		rature Max Time at Peak		ak Temperat	Temperature Number of Refle		ow Cycles	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy	U Alloy 4			260		С		30 seco		ds 3			
omments															
or more information regarding material	composition	n please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth					
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of				
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted				
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all				
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.									
Supplier Digital Signature Ra	stislav Drska	Le							

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless	otherwise noted).								
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	18.19898	18.19898 mg Supplier Silicon (Si)		Silicon (Si)	7440-21-3		18.199	mg	
Die Attach Epoxy	1.6393	mg		Epoxy resin	proprietary data		1.0655	mg	
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.5738	mg	
Lead Frame	57.99517	mg	Supplier	Zinc (Zn)	7440-66-6		0.0696	mg	
			Supplier	Iron (Fe)	7439-89-6		1.3629	mg	
			Supplier	Copper (Cu)	7440-50-8		56.5453	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0174	mg	
Mold Compound	19.7925	mg		2,6-Di-tert-buty 1-4-Methy 1 phenol	proprietary data		0.099	mg	
			Supplier	Tris (2,30Epoxypropyl) Isocyanurate	Proprietary Data		2.573	mg	
			Supplier	1,2,3,6-Tetrahydrophthalic acid anhydride	85-43-8		5.4429	mg	
			Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		11.6776	mg	
Plating	0.81003	mg	Supplier	Silver (Ag)	7440-22-4		0.0017	mg	
			Supplier	Palladium (Pd)	7440-05-3		0.5332	mg	
			В	Nickel (Ni)	7440-02-0		0.2735	mg	
			Supplier	Gold (Au)	7440-57-5		0.0017	mg	
Wire Bond - Au	0.0239	mg	Supplier	Gold (Au)	7440-57-5		0.0239	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).